

## RECENT PAPILLOMAVIRUS REFERENCES

The references tabulated here were captured from the Molecular Biology subset of MEDLINE as communicated through GENINFO at the National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland. References for the years 1994 and 1995 are included. These printed references, because of their static "hardcopy" form are of less utility than the MEDLINE database itself, which is searchable, and which provides automatic retrieval of related references and GenBank sequences through a concept called "neighboring." You can access MEDLINE through *Entrez* on the WWW. The URL is

<http://atlas.nlm.nih.gov:5700/Entrez/index.html>

- Agarwal C; Hembree JR; Rorke EA; Eckert RL  
Interferon and retinoic acid suppress the growth of human papillomavirus type 16 immortalized cervical epithelial cells, but only interferon suppresses the level of the human papillomavirus transforming oncogenes.  
*Cancer Res* 54: 2108-12 (1994)
- Agarwal RS; Agrawal YP; Mantyarji RA  
Flow cytometric quantitation of C-myc and P53 proteins in bovine papillomavirus type 1-transformed primary mouse fibroblasts.  
*Cytometry* 17: 237-45 (1994)
- Albert DM; Griep AE; Lambert PF; Howes KA; Windle JJ; Lasudry JG  
Transgenic models of retinoblastoma: what they tell us about its cause and treatment.  
*Trans Am Ophthalmol Soc* 92: 385-400; discussion 400-1 (1994)
- Alderborn A; Burnett S  
Regulation of DNA synthesis in division-arrested mouse C127 cells permissive for bovine papillomavirus DNA amplification.  
*J Virol* 68: 4349-57 (1994)
- Aleshkov SB; Ustav MB; Baev AA  
[Recombinant murine cell lines, transformed by various vectors based on bovine type 1 papillomavirus and expressing human tissue plasminogen activator. II. Analysis of cell lines, producing recombinant tissue plasminogen activator]  
*Mol Biol (Mosk)* 28: 619-25 (1994)
- Altmann A; Jochmus I; Rosl F  
Intra- and extracellular control mechanisms of human papillomavirus infection.  
*Intervirology* 37: 180-8 (1994)
- Anderson JA; Irish JC; McLachlin CM; Ngan BY  
H-ras oncogene mutation and human papillomavirus infection in oral carcinomas.  
*Arch Otolaryngol Head Neck Surg* 120: 755-60 (1994)
- Andreatta-Van Leyen S; Hembree JR; Eckert RL  
Regulation of insulin-like growth factor I binding protein 3 levels by epidermal growth factor and retinoic acid in cervical epithelial cells.  
*J Cell Physiol* 160: 265-74 (1994)
- Androphy EJ  
Molecular biology of human papillomavirus infection and oncogenesis.  
*J Invest Dermatol* 103: 248-56 (1994)
- Ansink AC; Krul MR; De Weger RA; Kleyne JA; Pijpers H; Van Tinteren H; De Kraker EW; Helmerhorst TJ; Heintz AP  
Human papillomavirus, lichen sclerosus, and squamous cell carcinoma of the vulva: detection and prognostic significance.  
*Gynecol Oncol* 52: 180-4 (1994)
- Apt D; Liu Y; Bernard HU  
Cloning and functional analysis of spliced isoforms of human nuclear factor I-X: interference with transcriptional activation by NF1/CTF in a cell-type specific manner.  
*Nucleic Acids Res* 22: 3825-33 (1994)
- Arbeit JM; Munger K; Howley PM; Hanahan D  
Progressive squamous epithelial neoplasia in K14-human papillomavirus type 16 transgenic mice.  
*J Virol* 68: 4358-68 (1994)
- Armbruster-Moraes E; Ioshimoto LM; Leao E; Zugaib M  
Presence of human papillomavirus DNA in amniotic fluids of pregnant women with cervical lesions.  
*Gynecol Oncol* 54: 152-8 (1994)
- Arndt O; Nottelmann K; Brock J; Neumann OG  
[Inverted papilloma and its association with human papillomavirus (HPV). A study with polymerase chain reaction (PCR) (see comments)]  
*HNO* 42: 670-6 (1994)

## References (1994)

- Auborn KJ; Little RD; Platt TH; Vaccariello MA; Schildkraut CL  
Replicative intermediates of human papillomavirus type 11 in laryngeal papillomas: site of replication initiation and direction of replication.  
Proc Natl Acad Sci U S A 91: 7340-4 (1994)
- Auewarakul P; Gissmann L; Cid-Arregui A  
Targeted expression of the E6 and E7 oncogenes of human papillomavirus type 16 in the epidermis of transgenic mice elicits generalized epidermal hyperplasia involving autocrine factors.  
Mol Cell Biol 14: 8250-8 (1994)
- Aynaud O; Bijaoui G; Ionesco M; Gorgette O; Poveda JD; Zummer K  
[Genital herpes simplex virus infection among men screened for genital papillomavirus]  
Ann Dermatol Venereol 121: 376-81 (1994)
- Baccard-Longere M; Alpha-Bazin B; Chypre C; Sauvaigo S; Teoule R; Bernard P; Seigneurin JM  
Fast solid support detection of human papillomavirus in in vitro amplified DNA using a DNP-anti DNP monoclonal antibody couple.  
J Virol Methods 46: 29-38 (1994)
- Barten M; Ostwald C; Muller P; Loning T; Milde-Langosch K; Wukasch Y  
[p53 alterations and HPV status in oral squamous cell carcinomas]  
Verh Dtsch Ges Pathol 78: 255-9 (1994)
- Bartholomew JS; Stacey SN; Coles B; Burt DJ; Arrand JR; Stern PL  
Identification of a naturally processed HLA A0201-restricted viral peptide from cells expressing human papillomavirus type 16 E6 oncoprotein.  
Eur J Immunol 24: 3175-9 (1994)
- Becker M; Forslund O; Hansson BG; Malm L  
Search for the human papillomavirus in nasal polyps, using a polymerase chain reaction-method.  
J Otolaryngol 23: 344-6 (1994)
- Belyavskiy M; Miller J; Wilson V  
Bovine papillomavirus E1 protein affects the host cell cycle phase fractions.  
Cytometry 16: 129-37 (1994)
- Benamouzig R; Jullian E  
[Role of human papillomavirus in esophageal carcinogenesis (editorial)]  
Ann Pathol 14: 307-10 (1994)
- Berchuck A; Kohler MF; Marks JR; Wiseman R; Boyd J; Bast RC Jr  
The p53 tumor suppressor gene frequently is altered in gynecologic cancers.  
Am J Obstet Gynecol 170: 246-52 (1994)
- Bernard C; Mouglin C; Bettinger D; Didier JM; Lab M  
Detection of human papillomavirus by in situ polymerase chain reaction in paraffin-embedded cervical biopsies.  
Mol Cell Probes 8: 337-43 (1994)
- Bernard C; Mouglin C; Laurent R; Lab M  
Oncogene activation: an informative marker for the human papillomavirus-lesions severity.  
Cancer Detect Prev 18: 273-82 (1994)
- Bernard HU; Apt D  
Transcriptional control and cell type specificity of HPV gene expression.  
Arch Dermatol 130: 210-5 (1994)
- Bernard HU; Chan SY; Delius H  
Evolution of papillomaviruses.  
Curr Top Microbiol Immunol 186: 33-54 (1994)
- Bernard HU; Chan SY; Manos MM; Ong CK; Villa LL; Delius H; Peyton CL; Bauer HM; Wheeler CM  
Identification and assessment of known and novel human papillomaviruses by polymerase chain reaction amplification, restriction fragment length polymorphisms, nucleotide sequence, and phylogenetic algorithms [see comments]  
J Infect Dis 170: 1077-85 (1994)
- Berthelot JM; Besse B; Billaudel S; Delecricin J; Letenneur J; Youinou P; Maugars Y; Prost A  
[Search of papillomavirus genome in synovial membranes and rheumatoid nodules]  
Rev Rhum Ed Fr 61: 491-6 (1994)
- Berumen J; Casas L; Segura E; Amezcua JL; Garcia-Carranca A  
Genome amplification of human papillomavirus types 16 and 18 in cervical carcinomas is related to the retention of E1/E2 genes.  
Int J Cancer 56: 640-5 (1994)
- Bloch N; Breen M; Spradbrow PB  
Genomic sequences of bovine papillomaviruses in formalin-fixed sarcoids from Australian horses revealed by polymerase chain reaction.  
Vet Microbiol 41: 163-72 (1994)

- Bouvard V; Matlashewski G; Gu ZM; Storey A; Banks L  
The human papillomavirus type 16 E5 gene cooperates with the E7 gene to stimulate proliferation of primary cells and increases viral gene expression.  
*Virology* 203: 73-80 (1994)
- Bouvard V; Storey A; Pim D; Banks L  
Characterization of the human papillomavirus E2 protein: evidence of trans-activation and trans-repression in cervical keratinocytes.  
*EMBO J* 13: 5451-9 (1994)
- Brachman DG  
Molecular biology of head and neck cancer.  
*Semin Oncol* 21: 320-9 (1994)
- Brandsma JL  
Animal models of human-papillomavirus-associated oncogenesis.  
*Intervirology* 37: 189-200 (1994)
- Bristow RG; Jang A; Peacock J; Chung S; Benchimol S; Hill RP  
Mutant p53 increases radioresistance in rat embryo fibroblasts simultaneously transfected with HPV16-E7 and/or activated H-ras.  
*Oncogene* 9: 1527-36 (1994)
- Brokaw JL; Yee CL; Mungler K  
A mutational analysis of the amino terminal domain of the human papillomavirus type 16 E7 oncoprotein.  
*Virology* 205: 603-7 (1994)
- Brown DR; Fan L; Jones J; Bryan J  
Colocalization of human papillomavirus type 11 E1[symbol: see text]E4 and L1 proteins in human foreskin implants grown in athymic mice.  
*Virology* 201: 46-54 (1994)
- Buonaguro FM; Tornesello ML; Buonaguro L; Del Gaudio E; Beth-Giraldo E; Giraldo G  
Role of HIV as cofactor in HPV oncogenesis: in vitro evidences of virus interactions.  
*Antibiot Chemother* 46: 102-9 (1994)
- Burnett AF; Grendys EC; Willett GD; Johnson JC; Barter JF; Barnes WA  
Preservation of multiple oncogenic human papillomavirus types in recurrences of early-stage cervical cancers.  
*Am J Obstet Gynecol* 170: 1230-3 (1994)
- Burns JE; Clark LJ; Yeudall WA; Mitchell R; Mackenzie K; Chang SE; Parkinson EK  
The p53 status of cultured human premalignant oral keratinocytes.  
*Br J Cancer* 70: 591-5 (1994)
- Busby-Earle RM; Steel CM; Williams AR; Cohen B; Bird CC  
p53 mutations in cervical carcinogenesis—low frequency and lack of correlation with human papillomavirus status.  
*Br J Cancer* 69: 732-7 (1994)
- Carlos R; Sedano HO  
Multifocal papilloma virus epithelial hyperplasia.  
*Oral Surg Oral Med Oral Pathol* 77: 631-5 (1994)
- Cason J; Kambo PK; Jewers RJ; Best JM  
Detection of protein aggregates, but not virus-like particles, when the major (L1) coat protein of a wild-type human papillomavirus type 16 (HPV-16) is expressed in insect cells.  
*Biochem Soc Trans* 22: 335S (1994)
- Cason J; Kambo PK; Manse C; Jewers RJ; Best JM  
Expression of human papillomavirus type 16 (HPV-16) major (L1) and minor (L2) capsid proteins in insect cells as polyhistidine fusion proteins.  
*Biochem Soc Trans* 22: 336S (1994)
- Chambers MA; Wei Z; Coleman N; Nash AA; Stanley MA  
"Natural" presentation of human papillomavirus type-16 E7 protein to immunocompetent mice results in antigen-specific sensitization or sustained unresponsiveness.  
*Eur J Immunol* 24: 738-45 (1994)
- Chan KW; Lam KY; Chan AC; Lau P; Srivastava G  
Prevalence of human papillomavirus types 16 and 18 in penile carcinoma: a study of 41 cases using PCR.  
*J Clin Pathol* 47: 823-6 (1994)
- Chan PJ; Su BC; Kalugdan T; Seraj IM; Tredway DR; King A  
Human papillomavirus gene sequences in washed human sperm deoxyribonucleic acid.  
*Fertil Steril* 61: 982-5 (1994)
- Chan SY; Tan CH; Delius H; Bernard HU  
Human papillomavirus type 2c is identical to human papillomavirus type 27.  
*Virology* 201: 397-8 (1994)
- Chandrachud LM; O'Neil BW; Jarrett WF; Grindlay GJ; McGarvie GM; Campo MS  
Humoral immune response to the E7 protein of bovine papillomavirus type 4 and identification of B-cell epitopes.  
*Virology* 200: 98-104 (1994)

## References (1994)

- Chang F; Lipponen P; Tervahauta A; Syrjanen S; Syrjanen K  
Transitional cell carcinoma of the bladder: failure to demonstrate human papillomavirus deoxyribonucleic acid by in situ hybridization and polymerase chain reaction.  
*J Urol* 152: 1429-33 (1994)
- Chang F; Syrjanen S; Tervahauta A; Kurvinen K; Wang L; Syrjanen K  
Frequent mutations of p53 gene in oesophageal squamous cell carcinomas with and without human papillomavirus (HPV) involvement suggest the dominant role of environmental carcinogens in oesophageal carcinogenesis.  
*Br J Cancer* 70: 346-51 (1994)
- Chen CA; Chen TM; Wu CC; Chang CF; Hsieh CY  
Human papillomavirus DNA and p53 status in stage IB bulky cervical cancer.  
*J Cancer Res Clin Oncol* 120: 678-82 (1994)
- Chen CM; Shyu MP; Au LC; Chu HW; Cheng WT; Choo KB  
Analysis of deletion of the integrated human papillomavirus 16 sequence in cervical cancer: a rapid multiplex polymerase chain reaction approach.  
*J Med Virol* 44: 206-11 (1994)
- Chen M; Popescu N; Woodworth C; Berneman Z; Corbellino M; Lusso P; Ablashi DV; DiPaolo JA  
Human herpesvirus 6 infects cervical epithelial cells and transactivates human papillomavirus gene expression.  
*J Virol* 68: 1173-8 (1994)
- Chen S; Tabrizi SN; Fairley CK; Borg AJ; Garland SM  
Simultaneous detection and typing strategy for human papillomaviruses based on PCR and restriction endonuclease mapping.  
*Biotechniques* 17: 138-40, 142-3 (1994)
- Chen SL; Tsao LT; Tsao YP  
Antisense oligodeoxynucleotides to c-jun inhibits proliferation of transformed NIH 3T3 cells induced by E5a of HPV-11.  
*Cancer Lett* 85: 119-23 (1994)
- Chen SL; Tsao YP; Lee JW; Liu HS; Yang CM; Tsao LT  
E5a gene of human papillomavirus type 11 is required for initiation but not for maintenance of transformation in NIH 3T3 cells.  
*J Gen Virol* 75 ( Pt 8): 1953-60 (1994)
- Chen TM; Chen CA; Wu CC; Huang SC; Chang CF; Hsieh CY  
The genotypes and prognostic significance of human papillomaviruses in cervical cancer.  
*Int J Cancer* 57: 181-4 (1994)
- Cheng S; Chang SY; Gravitt P; Respass R  
Long PCR.  
*Nature* 369: 684-5 (1994)
- Chinami M; Sasaki S; Hachiya N; Yuge K; Ohsugi T; Maeda H; Shingu M  
Functional oligomerization of purified human papillomavirus types 16 and 6b E7 proteins expressed in *Escherichia coli*.  
*J Gen Virol* 75 ( Pt 2): 277-81 (1994)
- Choo CK; Rorke EA; Eckert RL  
Differentiation-independent constitutive expression of the human papillomavirus type 16 E6 and E7 oncogenes in the CaSki cervical tumour cell line.  
*J Gen Virol* 75 ( Pt 5): 1139-47 (1994)
- Chow LT; Broker TR  
Papillomavirus DNA replication.  
*Intervirology* 37: 150-8 (1994)
- Ciechanover A; Shkedy D; Oren M; Bercovich B  
Degradation of the tumor suppressor protein p53 by the ubiquitin-mediated proteolytic system requires a novel species of ubiquitin-carrier protein, E2.  
*J Biol Chem* 269: 9582-9 (1994)
- Cleveland DB; Chen SY; Allen CM; Ahing SI; Svirsky JA  
Adult rhabdomyoma. A light microscopic, ultrastructural, virologic, and immunologic analysis.  
*Oral Surg Oral Med Oral Pathol* 77: 147-53 (1994)
- Creek KE; Jenkins GR; Khan MA; Batova A; Hodam JR; Tolleson WH; Pirisi L  
Retinoic acid suppresses human papillomavirus type 16 (HPV16)-mediated transformation of human keratinocytes and inhibits the expression of the HPV16 oncogenes.  
*Adv Exp Med Biol* 354: 19-35 (1994)
- Crook T; Fisher C; Masterson PJ; Vousden KH  
Modulation of transcriptional regulatory properties of p53 by HPV E6.  
*Oncogene* 9: 1225-30 (1994)
- Crook T; Vousden KH  
Interaction of HPV E6 with p53 and associated proteins.  
*Biochem Soc Trans* 22: 52-5 (1994)
- Cuzick J; Terry G; Ho L; Hollingworth T; Anderson M  
Type-specific human papillomavirus DNA in abnormal smears as a predictor of high-grade cervical intraepithelial neoplasia.  
*Br J Cancer* 69: 167-71 (1994)

- Czegledy J; Evander M; Hernadi Z; Gergely L; Wadell G  
Human papillomavirus type 18 E6\* mRNA in primary tumors and pelvic lymph nodes of Hungarian patients with squamous cervical cancer.  
*Int J Cancer* 56: 182-6 (1994)
- De Geest K; Bergman CA; Turyk ME; Frank BS; Wilbanks GD  
Differential response of cervical intraepithelial and cervical carcinoma cell lines to transforming growth factor-beta 1.  
*Gynecol Oncol* 55: 376-85 (1994)
- De Silva R; Whitaker NJ; Rogan EM; Reddel RR  
HPV-16 E6 and E7 genes, like SV40 early region genes, are insufficient for immortalization of human mesothelial and bronchial epithelial cells.  
*Exp Cell Res* 213: 418-27 (1994)
- Deb SP; Munoz RM; Brown DR; Subler MA; Deb S  
Wild-type human p53 activates the human epidermal growth factor receptor promoter.  
*Oncogene* 9: 1341-9 (1994)
- Delius H; Hofmann B  
Primer-directed sequencing of human papillomavirus types.  
*Curr Top Microbiol Immunol* 186: 13-31 (1994)
- Demeret C; Yaniv M; Thierry F  
The E2 transcriptional repressor can compensate for Sp1 activation of the human papillomavirus type 18 early promoter.  
*J Virol* 68: 7075-82 (1994)
- Demers GW; Foster SA; Halbert CL; Galloway DA  
Growth arrest by induction of p53 in DNA damaged keratinocytes is bypassed by human papillomavirus 16 E7.  
*Proc Natl Acad Sci U S A* 91: 4382-6 (1994)
- Demers GW; Halbert CL; Galloway DA  
Elevated wild-type p53 protein levels in human epithelial cell lines immortalized by the human papillomavirus type 16 E7 gene.  
*Virology* 198: 169-74 (1994)
- Di Paolo JA; Popescu NC; Ablashi DV; Lusso P; Zimonjic DB; Woodworth CD  
Multistage carcinogenesis utilizing human genital cells and human papillomaviruses.  
*Toxicol Lett* 72: 7-11 (1994)
- Dillner J  
Enzyme immunoassay detection of induction of MHC class I expression by synthetic peptides from the E6 and E7 regions of human papillomavirus type 16.  
*J Immunol Methods* 167: 195-205 (1994)
- Dillner J; Lenner P; Lehtinen M; Eklund C; Heino P; Wiklund F; Hallmans G; Stendahl U  
A population-based seroepidemiological study of cervical cancer.  
*Cancer Res* 54: 134-41 (1994)
- Dong G; Broker TR; Chow LT  
Human papillomavirus type 11 E2 proteins repress the homologous E6 promoter by interfering with the binding of host transcription factors to adjacent elements.  
*J Virol* 68: 1115-27 (1994)
- Dong XP; Stubenrauch F; Beyer-Finkler E; Pfister H  
Prevalence of deletions of YY1-binding sites in episomal HPV 16 DNA from cervical cancers.  
*Int J Cancer* 58: 803-8 (1994)
- Duggan MA; Benoit JL; McGregor SE; Inoue M; Nation JG; Stuart GC  
Adenocarcinoma in situ of the endocervix: human papillomavirus determination by dot blot hybridization and polymerase chain reaction amplification.  
*Int J Gynecol Pathol* 13: 143-9 (1994)
- Eluf-Neto J; Booth M; Munoz N; Bosch FX; Meijer CJ; Walboomers JM  
Human papillomavirus and invasive cervical cancer in Brazil.  
*Br J Cancer* 69: 114-9 (1994)
- Eriksson A; Stewart AC; Moreno-Lopez J; Pettersson U  
The genomes of the animal papillomaviruses European Elk papillomavirus, deer papillomavirus, and reindeer papillomavirus contain a novel transforming gene (E9) near the early polyadenylation site.  
*J Virol* 68: 8365-73 (1994)
- Etscheid BG; Foster SA; Galloway DA  
The E6 protein of human papillomavirus type 16 functions as a transcriptional repressor in a mechanism independent of the tumor suppressor protein, p53.  
*Virology* 205: 583-5 (1994)
- Fishman A; Girtanner RE; Adam E; Kaufman RH; Kaplan AL  
Second primary cancer arising from the neovulva following reconstruction with myocutaneous flaps.  
*Gynecol Oncol* 53: 128-30 (1994)
- Forslund O; Hansson BG; Bjerre B  
Typing of human papillomaviruses by consensus polymerase chain reaction and a non-radioactive reverse dot blot hybridization.  
*J Virol Methods* 49: 129-39 (1994)

## References (1994)

- Foster SA; Demers GW; Etscheid BG; Galloway DA  
The ability of human papillomavirus E6 proteins to target p53 for degradation in vivo correlates with their ability to abrogate actinomycin D-induced growth arrest.  
*J Virol* 68: 5698-705 (1994)
- Frattini MG; Laimins LA  
The role of the E1 and E2 proteins in the replication of human papillomavirus type 31b.  
*Virology* 204: 799-804 (1994)
- Frattini MG; Laimins LA  
Binding of the human papillomavirus E1 origin-recognition protein is regulated through complex formation with the E2 enhancer-binding protein.  
*Proc Natl Acad Sci U S A* 91: 12398-402 (1994)
- Fromm L; Shawlot W; Gunning K; Butel JS; Overbeek PA  
The retinoblastoma protein-binding region of simian virus 40 large T antigen alters cell cycle regulation in lenses of transgenic mice.  
*Mol Cell Biol* 14: 6743-54 (1994)
- Fuchs PG; Pfister H  
Transcription of papillomavirus genomes.  
*Intervirology* 37: 159-67 (1994)
- Fujikawa K; Furuse M; Uwabe K; Maki H; Yoshie O  
Nuclear localization and transforming activity of human papillomavirus type 16 E7-beta-galactosidase fusion protein: characterization of the nuclear localization sequence.  
*Virology* 204: 789-93 (1994)
- Fujinaga Y; Okazawa K; Nishikawa A; Yamakawa Y; Fukushima M; Kato I; Fujinaga K  
Sequence variation of human papillomavirus type 16 E7 in preinvasive and invasive cervical neoplasias.  
*Virus Genes* 9: 85-92 (1994)
- Fukushima K; Ogura H; Watanabe S; Yabe Y; Masuda Y  
Human papillomavirus type 16 DNA detected by the polymerase chain reaction in non-cancer tissues of the head and neck.  
*Eur Arch Otorhinolaryngol* 251: 109-12 (1994)
- Furth PA; Choe WT; Rex JH; Byrne JC; Baker CC  
Sequences homologous to 5' splice sites are required for the inhibitory activity of papillomavirus late 3' untranslated regions.  
*Mol Cell Biol* 14: 5278-89 (1994)
- Gaarenstroom KN; Kenter GG; Bonfrer JM; Korse CM; Gallee MP; Hart AA; Muller M; Trimbos JB; Helmerhorst TJ  
Prognostic significance of serum antibodies to human papillomavirus-16 E4 and E7 peptides in cervical cancer.  
*Cancer* 74: 2307-13 (1994)
- Gale N; Poljak M; Kambic V; Ferluga D; Fischinger J  
Laryngeal papillomatosis: molecular, histopathological, and clinical evaluation.  
*Virchows Arch* 425: 291-5 (1994)
- Gallego MI; Zimonjic DB; Popescu NC; DiPaolo JA; Lazo PA  
Integration site of human papillomavirus type-18 DNA in chromosome band 8q22.1 of C4-I cervical carcinoma: DNase I hypersensitivity and methylation of cellular flanking sequences.  
*Genes Chromosom Cancer* 9: 28-32 (1994)
- Galloway DA  
Navigating the descent into papillomavirus hell [editorial; comment]  
*J Infect Dis* 170: 1075-6 (1994)
- Gao L; Chain B; Sinclair C; Crawford L; Zhou J; Morris J; Zhu X; Stauss H  
Immune response to human papillomavirus type 16 E6 gene in a live vaccinia vector.  
*J Gen Virol* 75 ( Pt 1): 157-64 (1994)
- Gilles C; Piette J; Peter W; Fusenig NE; Foidart JM  
Differentiation ability and oncogenic potential of HPV-33- and HPV-33 + ras-transfected keratinocytes.  
*Int J Cancer* 58: 847-54 (1994)
- Gilles C; Polette M; Piette J; Birembaut P; Foidart JM  
Epithelial-to-mesenchymal transition in HPV-33-transfected cervical keratinocytes is associated with increased invasiveness and expression of gelatinase A.  
*Int J Cancer* 59: 661-6 (1994)
- Gjorup OV; Rose PE; Holman PS; Bockus BJ; Schaffhausen BS  
Protein domains connect cell cycle stimulation directly to initiation of DNA replication.  
*Proc Natl Acad Sci U S A* 91: 12125-9 (1994)
- Goldstein DJ; Li W; Wang LM; Heidaran MA; Aaronson S; Shinn R; Schlegel R; Pierce JH  
The bovine papillomavirus type 1 E5 transforming protein specifically binds and activates the beta-type receptor for the platelet-derived growth factor but not other related tyrosine kinase-containing receptors to induce cellular transformation.  
*J Virol* 68: 4432-41 (1994)

- Gomez Rueda N; Garcia A; Vighi S; Belardi MG; Cardinal L; di Paola G  
Epithelial alterations adjacent to invasive squamous carcinoma of the vulva.  
*J Reprod Med* 39: 526-30 (1994)
- Gopalakrishnan V; Khan SA  
E1 protein of human papillomavirus type 1a is sufficient for initiation of viral DNA replication.  
*Proc Natl Acad Sci U S A* 91: 9597-601 (1994)
- Gorgoulis V; Rassidakis G; Karameris A; Giatromanolaki A; Barbatis C; Kittas C  
Expression of p53 protein in laryngeal squamous cell carcinoma and dysplasia: possible correlation with human papillomavirus infection and clinicopathological findings.  
*Virchows Arch* 425: 481-9 (1994)
- Graeber TG; Peterson JF; Tsai M; Monica K; Fornace AJ Jr; Giaccia AJ  
Hypoxia induces accumulation of p53 protein, but activation of a G1-phase checkpoint by low-oxygen conditions is independent of p53 status.  
*Mol Cell Biol* 14: 6264-77 (1994)
- Greenhalgh DA; Roop DR  
Dissecting molecular carcinogenesis: development of transgenic mouse models by epidermal gene targeting.  
*Adv Cancer Res* 64: 247-96 (1994)
- Greenhalgh DA; Wang XJ; Dominey AM; Rothnagel JA; Roop DR  
Development of transgenic mouse models of skin carcinogenesis: potential applications.  
*Prog Clin Biol Res* 387: 75-94 (1994)
- Gregoire L; Lawrence WD; Kukuruga D; Eisenbrey AB; Lancaster WD  
Association between HLA-DQB1 alleles and risk for cervical cancer in African-American women.  
*Int J Cancer* 57: 504-7 (1994)
- Griep AE; Lambert PF  
Role of papillomavirus oncogenes in human cervical cancer: transgenic animal studies.  
*Proc Soc Exp Biol Med* 206: 24-34 (1994)
- Gu Z; Pim D; Labrecque S; Banks L; Matlashewski G  
DNA damage induced p53 mediated transcription is inhibited by human papillomavirus type 18 E6.  
*Oncogene* 9: 629-33 (1994)
- Gui C; Song G; Li K  
[Expression of HPV16E6 gene and preparation of monoclonal antibody against the expression product]  
*Chung Kuo I Hsueh Ko Hsueh Yuan Hsueh Pao* 16: 290-5 (1994)
- Gujuluva CN; Baek JH; Shin KH; Cherrick HM; Park NH  
Effect of UV-irradiation on cell cycle, viability and the expression of p53, gadd153 and gadd45 genes in normal and HPV-immortalized human oral keratinocytes.  
*Oncogene* 9: 1819-27 (1994)
- Gutman LT; St. Claire KK; Everett VD; Ingram DL; Soper J; Johnston WW; Mulvaney GG; Phelps WC  
Cervical-vaginal and intraanal human papillomavirus infection of young girls with external genital warts.  
*J Infect Dis* 170: 339-44 (1994)
- Hagensee ME; Olson NH; Baker TS; Galloway DA  
Three-dimensional structure of vaccinia virus-produced human papillomavirus type 1 capsids.  
*J Virol* 68: 4503-5 (1994)
- Ham J; Steger G; Yaniv M  
Cooperativity in vivo between the E2 transactivator and the TATA box binding protein depends on core promoter structure.  
*EMBO J* 13: 147-57 (1994)
- Hamsikova E; Novak J; Hofmannova V; Munoz N; Bosch FX; de Sanjose S; Shah K; Roth Z; Vonka V  
Presence of antibodies to seven human papillomavirus type 16-derived peptides in cervical cancer patients and healthy controls.  
*J Infect Dis* 170: 1424-31 (1994)
- Hei TK; Piao CQ; Willey JC; Thomas S; Hall EJ  
Malignant transformation of human bronchial epithelial cells by radon-simulated alpha-particles.  
*Carcinogenesis* 15: 431-7 (1994)
- Helland A; Borresen AL; Kristensen G; Ronningen KS  
DQA1 and DQB1 genes in patients with squamous cell carcinoma of the cervix: relationship to human papillomavirus infection and prognosis.  
*Cancer Epidemiol Biomarkers Prev* 3: 479-86 (1994)
- Hembree JR; Agarwal C; Eckert RL  
Epidermal growth factor suppresses insulin-like growth factor binding protein 3 levels in human papillomavirus type 16-immortalized cervical epithelial cells and thereby potentiates the effects of insulin-like growth factor I.  
*Cancer Res* 54: 3160-6 (1994)

## References (1994)

- Hermonat PL  
Adeno-associated virus inhibits human papillomavirus type 16: a viral interaction implicated in cervical cancer.  
*Cancer Res* 54: 2278-81 (1994)
- Hibma MH; Ely SJ; Crawford L  
A non-radioactive assay for the detection and quantitation of a DNA binding protein.  
*Nucleic Acids Res* 22: 3806-7 (1994)
- Hickman ES; Picksley SM; Vousden KH  
Cells expressing HPV16 E7 continue cell cycle progression following DNA damage induced p53 activation.  
*Oncogene* 9: 2177-81 (1994)
- Hildesheim A; Schiffman MH; Gravitt PE; Glass AG; Greer CE; Zhang T; Scott DR; Rush BB; Lawler P; Sherman ME; et al  
Persistence of type-specific human papillomavirus infection among cytologically normal women.  
*J Infect Dis* 169: 235-40 (1994)
- Hines JF; Ghim SJ; Christensen ND; Kreider JW; Barnes WA; Schlegel R; Jenson AB  
Role of conformational epitopes expressed by human papillomavirus major capsid proteins in the serologic detection of infection and prophylactic vaccination [see comments]  
*Gynecol Oncol* 55: 13-20 (1994)
- Hines JF; Ghim SJ; Christensen ND; Kreider JW; Barnes WA; Schlegel R; Jenson AB  
The expressed L1 proteins of HPV-1, HPV-6, and HPV-11 display type-specific epitopes with native conformation and reactivity with neutralizing and nonneutralizing antibodies.  
*Pathobiology* 62: 165-71 (1994)
- Ho L; Terry G; Mansell B; Butler B; Singer A  
Detection of DNA and E7 transcripts of human papillomavirus types 16, 18, 31 and 33, TGF beta and GM-CSF transcripts in cervical cancers and precancers.  
*Arch Virol* 139: 79-85 (1994)
- Hodivala KJ; Pei XF; Liu QY; Jones PH; Rytina ER; Gilbert C; Singer A; Watt FM  
Integrin expression and function in HPV 16-immortalised human keratinocytes in the presence or absence of v-Ha-ras. Comparison with cervical intraepithelial neoplasia.  
*Oncogene* 9: 943-8 (1994)
- Holt SE; Schuller G; Wilson VG  
DNA binding specificity of the bovine papillomavirus E1 protein is determined by sequences contained within an 18-base-pair inverted repeat element at the origin of replication.  
*J Virol* 68: 1094-102 (1994)
- Hoppe-Seyley F; Butz K  
Cellular control of human papillomavirus oncogene transcription.  
*Mol Carcinog* 10: 134-41 (1994)
- Howes KA; Ransom N; Papermaster DS; Lasudry JG; Albert DM; Windle JJ  
Apoptosis or retinoblastoma: alternative fates of photoreceptors expressing the HPV-16 E7 gene in the presence or absence of p53.  
*Genes Dev* 8: 1300-10 (1994)
- Inoue T; Kyo S; Kiyono T; Ishibashi M; Ishiwatari H; Hwang YI; Yutsudo M; Hakura A  
Correlation between tumorigenicity and expression levels or splicing patterns of transcripts of the human papillomavirus type 16 E6 gene.  
*Jpn J Cancer Res* 85: 357-63 (1994)
- Ishibashi M  
[Tumors induced by human papillomavirus –special reference to role of the E 6 gene]  
*Uirusu* 44: 77-94 (1994)
- Ishiwatari H; Hayasaka N; Inoue H; Yutsudo M; Hakura A  
Degradation of p53 only is not sufficient for the growth stimulatory effect of human papillomavirus 16 E6 oncoprotein in human embryonic fibroblasts.  
*J Med Virol* 44: 243-9 (1994)
- Iwatake H  
[Characterization of human laryngeal epithelial cells transfected with human papillomavirus type 16 DNA]  
*Nippon Jibiinkoka Gakkai Kaiho* 97: 1260-7 (1994)
- Jiko K; Tsuda H; Sato S; Hirohashi S  
Pathogenetic significance of p53 and c-Ki-ras gene mutations and human papillomavirus DNA integration in adenocarcinoma of the uterine cervix and uterine isthmus.  
*Int J Cancer* 59: 601-6 (1994)
- Johnson TL; Joseph CL; Caison-Sorey TJ; Smith RE; Bedrossian CW; Sarkar FH  
Prevalence of HPV 16 and 18 DNA sequences in CIN III lesions of adults and adolescents.  
*Diagn Cytopathol* 10: 276-83 (1994)
- Kahn T; Turazza E; Ojeda R; Bercovich A; Stremlau A; Lichter P; Poustka A; Grinstein S; zur Hausen H  
Integration of human papillomavirus type 6a DNA in a tonsillar carcinoma: chromosomal localization and nucleotide sequence of the genomic target region.  
*Cancer Res* 54: 1305-12 (1994)



- Kao GF; Kao WH  
Malignant transformation of keratinocytes by human papillomaviruses.  
J Cutan Pathol 21: 193-9 (1994)
- Karlsen F; Kalantari M; Chitemerere M; Johansson B; Hagmar B  
Modifications of human and viral deoxyribonucleic acid by formaldehyde fixation.  
Lab Invest 71: 604-11 (1994)
- Karlsen F; Rabbitts PH; Sundresan V; Hagmar B  
PCR-RFLP studies on chromosome 3p in formaldehyde-fixed, paraffin-embedded cervical cancer tissues.  
Int J Cancer 58: 787-92 (1994)
- Kashanchi F; Thompson J; Sadaie MR; Doniger J; Duvall J; Brady JN; Rosenthal LJ  
Transcriptional activation of minimal HIV-1 promoter by ORF-1 protein expressed from the Sall-L fragment of human herpesvirus 6.  
Virology 201: 95-106 (1994)
- Kast WM; Brandt RM; Sidney J; Drijfhout JW; Kubo RT; Grey HM; Melief CJ; Sette A  
Role of HLA-A motifs in identification of potential CTL epitopes in human papillomavirus type 16 E6 and E7 proteins.  
J Immunol 152: 3904-12 (1994)
- Kaye JN; Cason J; Pakarian FB; Jewers RJ; Kell B; Bible J; Raju KS; Best JM  
Viral load as a determinant for transmission of human papillomavirus type 16 from mother to child.  
J Med Virol 44: 415-21 (1994)
- Kaye JN; Pakarian F; Cason J; Jewers RJ; Kell B; Bible J; Raju KS; Best JM  
Analysis of the physical state of human papillomavirus type-16 in early cervical intraepithelial neoplasia.  
Biochem Soc Trans 22: 334S (1994)
- Kell B; Jewers RJ; Cason J; Best JM  
Cellular proteins associated with the E5 oncoprotein of human papillomavirus type 16.  
Biochem Soc Trans 22: 333S (1994)
- Kim KH; Yoon DJ; Moon YA; Kim YS  
Expression and localization of human papillomavirus type 16 E6 and E7 open reading frame proteins in human epidermal keratinocyte.  
Yonsei Med J 35: 1-9 (1994)
- Kitasato H; Delius H; zur Hausen H; Sorger K; Rosl F; de Villiers EM  
Sequence rearrangements in the upstream regulatory region of human papillomavirus type 6: are these involved in malignant transition?  
J Gen Virol 75 ( Pt 5): 1157-62 (1994)
- Kitchener HC  
The role of human papillomavirus in the genesis of cervical cancer.  
Cancer Treat Res 70: 29-41 (1994)
- Kiyono T; Hiraiwa A; Ishii S; Takahashi T; Ishibashi M  
Inhibition of p53-mediated transactivation by E6 of type 1, but not type 5, 8, or 47, human papillomavirus of cutaneous origin.  
J Virol 68: 4656-61 (1994)
- Klingelutz AJ; Barber SA; Smith PP; Dyer K; McDougall JK  
Restoration of telomeres in human papillomavirus-immortalized human anogenital epithelial cells.  
Mol Cell Biol 14: 961-9 (1994)
- Komissarova EV; Pantin VI; Pavlova LS; Borovkova TV; Soifer MV; Shutman MS; Zarytova VF; Ivanova EM; Sats NV; Grineva NI; et al  
[Stable suppression of transcription of human papillomavirus type 18 (HPV 18) E6 and E7 genes in transformed rat fibroblasts: use of an antisense oligonucleotide to the E7 gene]  
Dokl Akad Nauk 338: 404-7 (1994)
- Kristiansen E; Jenkins A; Holm R  
Coexistence of episomal and integrated HPV16 DNA in squamous cell carcinoma of the cervix.  
J Clin Pathol 47: 253-6 (1994)
- Kristiansen E; Jenkins A; Kristensen G; Ask E; Kaern J; Abeler V; Lindqvist BH; Trope C; Kristiansen BE  
Human papillomavirus infection in Norwegian women with cervical cancer.  
APMIS 102: 122-8 (1994)
- Kube D; Janda J; Johannsmeyer KD; Bergmann S; Kiessling U  
Characterization of human papillomavirus type 16 activity in separate biopsies from a carcinoma of the cervix uteri.  
Virchows Arch 425: 473-80 (1994)
- Kuo SR; Liu JS; Broker TR; Chow LT  
Cell-free replication of the human papillomavirus DNA with homologous viral E1 and E2 proteins and human cell extracts.  
J Biol Chem 269: 24058-65 (1994)

## References (1994)

- Kurvinen K; Tervahauta A; Syrjanen S; Chang F; Syrjanen K  
The state of the p53 gene in human papillomavirus (HPV)-positive and HPV-negative genital precancer lesions and carcinomas as determined by single-strand conformation polymorphism analysis and sequencing.  
*Anticancer Res* 14: 177-81 (1994)
- Kyo S; Inoue M; Hayasaka N; Inoue T; Yutsudo M; Tanizawa O; Hakura A  
Regulation of early gene expression of human papillomavirus type 16 by inflammatory cytokines.  
*Virology* 200: 130-9 (1994)
- Lai CH; Wang CY; Lin CY; Pao CC  
Detection of human papillomavirus RNA in ovarian and endometrial carcinomas by reverse transcription/polymerase chain reaction.  
*Gynecol Obstet Invest* 38: 276-80 (1994)
- Lam EW; Morris JD; Davies R; Crook T; Watson RJ; Vousden KH  
HPV16 E7 oncoprotein deregulates B-myb expression: correlation with targeting of p107/E2F complexes.  
*EMBO J* 13: 871-8 (1994)
- Lambropoulos AF; Agorastos T; Frangoulides E; Karahaliou R; Bontis J; Dozi-Vassiliades I  
Detection of human papillomavirus using the polymerase chain reaction and typing for HPV16 and 18 in the cervical smears of Greek women.  
*J Med Virol* 43: 228-30 (1994)
- Lane S; Wells M  
Human papillomaviruses, p53, and cervical neoplasia [editorial]  
*J Pathol* 172: 299-300 (1994)
- Lappalainen K; Urtti A; Jaaskelainen I; Syrjanen K; Syrjanen S  
Cationic liposomes mediated delivery of antisense oligonucleotides targeted to HPV 16 E7 mRNA in CaSki cells.  
*Antiviral Res* 23: 119-30 (1994)
- Larsen ET; Duggan MA; Inoue M  
Absence of human papilloma virus DNA in oropharyngeal spindle-cell squamous carcinomas.  
*Am J Clin Pathol* 101: 514-8 (1994)
- Lassus J; Happonen HP; Niemi KM; Ranki A  
Carbon dioxide (CO<sub>2</sub>)-laser therapy cures macroscopic lesions, but viral genome is not eradicated in men with therapy-resistant HPV infection.  
*Sex Transm Dis* 21: 297-302 (1994)
- Lazary S; Marti E; Szalai G; Gaillard C; Gerber H  
Studies on the frequency and associations of equine leucocyte antigens in sarcoid and summer dermatitis.  
*Anim Genet* 25 Suppl 1: 75-80 (1994)
- Le Cann P; Coursaget P; Iochmann S; Touze A  
Self-assembly of human papillomavirus type 16 capsids by expression of the L1 protein in insect cells.  
*FEMS Microbiol Lett* 117: 269-74 (1994)
- Le Moal MA; Yaniv M; Thierry F  
The bovine papillomavirus type 1 (BPV1) replication protein E1 modulates transcriptional activation by interacting with BPV1 E2.  
*J Virol* 68: 1085-93 (1994)
- Lechner MS; Laimins LA  
Inhibition of p53 DNA binding by human papillomavirus E6 proteins.  
*J Virol* 68: 4262-73 (1994)
- Ledent C; Parmentier M; Vassart G; Dumont JE  
Models of thyroid goiter and tumors in transgenic mice.  
*Mol Cell Endocrinol* 100: 167-9 (1994)
- Lee YY; Wilczynski SP; Chumakov A; Chih D; Koeffler HP  
Carcinoma of the vulva: HPV and p53 mutations.  
*Oncogene* 9: 1655-9 (1994)
- Lewensohn-Fuchs I; Munck-Wikland E; Berke Z; Magnusson KP; Pallesen G; Auer G; Lindholm J; Linde A; Aberg B; Rubio C; et al  
Involvement of aberrant p53 expression and human papillomavirus in carcinoma of the head, neck and esophagus.  
*Anticancer Res* 14: 1281-5 (1994)
- Li R; Botchan MR  
Acidic transcription factors alleviate nucleosome-mediated repression of DNA replication of bovine papillomavirus type 1.  
*Proc Natl Acad Sci U S A* 91: 7051-5 (1994)
- Li X; Lee NK; Ye YW; Waber PG; Schweitzer C; Cheng QC; Nisen PD  
Allelic loss at chromosomes 3p, 8p, 13q, and 17p associated with poor prognosis in head and neck cancer.  
*J Natl Cancer Inst* 86: 1524-9 (1994)
- Lin CT; Dee AN; Chen W; Chan WY  
Association of Epstein-Barr virus, human papilloma virus, and cytomegalovirus with nine nasopharyngeal carcinoma cell lines.  
*Lab Invest* 71: 731-6 (1994)

- List HJ; Patzel V; Zeidler U; Schopen A; Ruhl G; Stollwerk J; Klock G  
Methylation sensitivity of the enhancer from the human papillomavirus type 16.  
*J Biol Chem* 269: 11902-11 (1994)
- Liu Z; Ghai J; Ostrow RS; McGlennen RC; Faras AJ  
The E6 gene of human papillomavirus type 16 is sufficient for transformation of baby rat kidney cells in cotransfection with activated Ha-ras.  
*Virology* 201: 388-96 (1994)
- Lizard G; Chignol MC; Souchier C; Schmitt D; Chardonnet Y  
Laser scanning confocal microscopy and quantitative microscopy with a charge coupled device camera improve detection of human papillomavirus DNA revealed by fluorescence in situ hybridization.  
*Histochemistry* 101: 303-10 (1994)
- Lukas J; Muller H; Bartkova J; Spitkovsky D; Kjerulff AA; Jansen-Durr P; Strauss M; Bartek J  
DNA tumor virus oncoproteins and retinoblastoma gene mutations share the ability to relieve the cell's requirement for cyclin D1 function in G1.  
*J Cell Biol* 125: 625-38 (1994)
- Mackenzie SL; Gillespie MT; Scurry JP; Planner RS; Martin TJ; Danks JA  
Parathyroid hormone-related protein and human papillomavirus in gynecological tumors.  
*Int J Cancer* 56: 324-30 (1994)
- Majewski S; Szmurlo A; Marczak M; Jablonska S; Bollag W  
Synergistic effect of retinoids and interferon alpha on tumor-induced angiogenesis: anti-angiogenic effect on HPV-harboring tumor-cell lines.  
*Int J Cancer* 57: 81-5 (1994)
- Malejczyk J; Malejczyk M; Majewski S; Breitburd F; Luger TA; Jablonska S; Orth G  
Increased tumorigenicity of human keratinocytes harboring human papillomavirus type 16 is associated with resistance to endogenous tumor necrosis factor-alpha-mediated growth limitation.  
*Int J Cancer* 56: 593-8 (1994)
- Maloney KE; Wiener JS; Walther PJ  
Oncogenic human papillomaviruses are rarely associated with squamous cell carcinoma of the bladder: evaluation by differential polymerase chain reaction.  
*J Urol* 151: 360-4 (1994)
- Manos MM; Waldman J; Zhang TY; Greer CE; Eichinger G; Schiffman MH; Wheeler CM  
Epidemiology and partial nucleotide sequence of four novel genital human papillomaviruses.  
*J Infect Dis* 170: 1096-9 (1994)
- Marston NJ; Crook T; Vousden KH  
Interaction of p53 with MDM2 is independent of E6 and does not mediate wild type transformation suppressor function.  
*Oncogene* 9: 2707-16 (1994)
- Matsushima Y; Fukasawa H; Endo Y; Hashimoto Y; Shudo K  
Enhancement of human papillomavirus type 18 gene expression in HeLa cells by 12-O-tetradecanoylphorbol-13-acetate, 3 beta,5 alpha-dihydroxycholestan-6-one, and cholesterol.  
*Biol Pharm Bull* 17: 1292-5 (1994)
- Matulic M; Soric J  
Papillomavirus genomes in human cervical carcinoma: analysis of their integration and transcriptional activity.  
*Neoplasma* 41: 95-100 (1994)
- May M; Dong XP; Beyer-Finkler E; Stubenrauch F; Fuchs PG; Pfister H  
The E6/E7 promoter of extrachromosomal HPV16 DNA in cervical cancers escapes from cellular repression by mutation of target sequences for YY1.  
*EMBO J* 13: 1460-6 (1994)
- May M; Grassmann K; Pfister H; Fuchs PG  
Transcriptional silencer of the human papillomavirus type 8 late promoter interacts alternatively with the viral trans activator E2 or with a cellular factor.  
*J Virol* 68: 3612-9 (1994)
- McCaffery RE; Jackson ME  
An element binding a C/EBP-related transcription factor contributes to negative regulation of the bovine papillomavirus type 4 long control region.  
*J Gen Virol* 75 ( Pt 11): 3047-56 (1994)
- McDougall JK  
Cofactors in the progression of HPV-associated tumors.  
*Antibiot Chemother* 46: 150-64 (1994)
- McDougall JK  
Immortalization and transformation of human cells by human papillomavirus.  
*Curr Top Microbiol Immunol* 186: 101-19 (1994)

## References (1994)

- McFadden G; Kane K  
How DNA viruses perturb functional MHC expression to alter immune recognition.  
*Adv Cancer Res* 63: 117-209 (1994)
- McGregor JM; Farthing A; Crook T; Yu CC; Dublin EA; Levison DA; MacDonald DM  
Posttransplant skin cancer: a possible role for p53 gene mutation but not for oncogenic human papillomaviruses.  
*J Am Acad Dermatol* 30: 701-6 (1994)
- McLachlin CM; Kozakewich H; Craighill M; O'Connell B; Crum CP  
Histologic correlates of vulvar human papillomavirus infection in children and young adults.  
*Am J Surg Pathol* 18: 728-35 (1994)
- McLachlin CM; Mutter GL; Crum CP  
Multinucleated atypia of the vulva. Report of a distinct entity not associated with human papillomavirus.  
*Am J Surg Pathol* 18: 1233-9 (1994)
- McLachlin CM; Tate JE; Zitz JC; Sheets EE; Crum CP  
Human papillomavirus type 18 and intraepithelial lesions of the cervix.  
*Am J Pathol* 144: 141-7 (1994)
- Mehal WZ; Lo YM; Herrington CS; Evans MF; Papadopoulos MC; Odunis K; Ganesan TS; McGee JO; Bell JI; Fleming KA  
Role of human papillomavirus in determining the HLA associated risk of cervical carcinogenesis.  
*J Clin Pathol* 47: 1077-81 (1994)
- Melchers W; Ferrera A; Willemse D; Galama J; Walboomers J; De Barahona O; Figueroa M; Snijders P  
Human papillomavirus and cervical cancer in Honduran women.  
*Am J Trop Med Hyg* 50: 137-42 (1994)
- Melillo RM; Helin K; Lowy DR; Schiller JT  
Positive and negative regulation of cell proliferation by E2F-1: influence of protein level and human papillomavirus oncoproteins.  
*Mol Cell Biol* 14: 8241-9 (1994)
- Meyer AN; Xu YF; Webster MK; Smith AE; Donoghue DJ  
Cellular transformation by a transmembrane peptide: structural requirements for the bovine papillomavirus E5 oncoprotein.  
*Proc Natl Acad Sci U S A* 91: 4634-8 (1994)
- Miller CS; Zeuss MS; White DK  
Detection of HPV DNA in oral carcinoma using polymerase chain reaction together with in situ hybridization.  
*Oral Surg Oral Med Oral Pathol* 77: 480-6 (1994)
- Min BM; Baek JH; Shin KH; Gujuluva CN; Cherrick HM; Park NH  
Inactivation of the p53 gene by either mutation or HPV infection is extremely frequent in human oral squamous cell carcinoma cell lines.  
*Eur J Cancer B Oral Oncol* 30B: 338-45 (1994)
- Mitra AB; Murty VV; Li RG; Pratap M; Luthra UK; Chaganti RS  
Allelotyping analysis of cervical carcinoma.  
*Cancer Res* 54: 4481-7 (1994)
- Mitrani-Rosenbaum S  
Human papillomaviruses and the diagnosis of genital microorganisms.  
*Isr J Med Sci* 30: 443-7 (1994)
- Mittal R; Kumar KU; Pater A; Pater MM  
Differential regulation by c-jun and c-fos protooncogenes of hormone response from composite glucocorticoid response element in human papilloma virus type 16 regulatory region.  
*Mol Endocrinol* 8: 1701-8 (1994)
- Moles JP; Schiller JT; Tesniere A; Leigh IM; Guilhou JJ; Basset-Seguain N  
Analysis of HPV16 E6 and mutant p53-transfected keratinocytes in reconstituted epidermis suggests that wild-type p53 inhibits cytokeratin 19 expression.  
*J Cell Sci* 107 ( Pt 2): 435-41 (1994)
- Monk BJ; Cook N; Ahn C; Vasilev SA; Berman ML; Wilczynski SP  
Comparison of the polymerase chain reaction and Southern blot analysis in detecting and typing human papilloma virus deoxyribonucleic acid in tumors of the lower female genital tract.  
*Diagn Mol Pathol* 3: 283-91 (1994)
- Morelli AE; Belardi G; DiPaola G; Paredes A; Fainboim L  
Cellular subsets and epithelial ICAM-1 and HLA-DR expression in human papillomavirus infection of the vulva.  
*Acta Derm Venereol (Stockh)* 74: 45-50 (1994)
- Morosov A; Phelps WC; Raychaudhuri P  
Activation of the c-fos gene by the HPV16 oncoproteins depends upon the cAMP-response element at -60.  
*J Biol Chem* 269: 18434-40 (1994)

- Morris PJ; Theil T; Ring CJ; Lillycrop KA; Moroy T; Latchman DS  
The opposite and antagonistic effects of the closely related POU family transcription factors Brn-3a and Brn-3b on the activity of a target promoter are dependent on differences in the POU domain.  
Mol Cell Biol 14: 6907-14 (1994)
- Mukhopadhyay D; Chatterjee R; Chakraborty RN  
Association of p53 expression with cytokinetics and HPV capsid antigen prevalence in oral carcinomas.  
Cancer Lett 87: 99-105 (1994)
- Muller F; Seo YS; Hurwitz J  
Replication of bovine papillomavirus type 1 origin-containing DNA in crude extracts and with purified proteins.  
J Biol Chem 269: 17086-94 (1994)
- Muller H; Lukas J; Schneider A; Warthoe P; Bartek J; Eilers M; Strauss M  
Cyclin D1 expression is regulated by the retinoblastoma protein.  
Proc Natl Acad Sci U S A 91: 2945-9 (1994)
- Mvula M; Iwasaka T; Matsuo N; Nakao Y; Kaku T; Hachisuga T; Fukuda K; Tsukamoto N; Sugimori H  
Detection of human papillomavirus types 16 and 18 in primary and in metastatic lesions of cervical carcinomas.  
Gynecol Oncol 53: 156-60 (1994)
- Nagai N  
[Gene diagnosis of uterine cervical cancer]  
Rinsho Byori 42: 372-9 (1994)
- Nallaseth FS; DePamphilis ML  
Papillomavirus contains cis-acting sequences that can suppress but not regulate origins of DNA replication.  
J Virol 68: 3051-64 (1994)
- Negri F; Montale F; Pollastro M; Savioli C; Comanducci F; Morando A  
[New possibility of genetic characterization of human papillomavirus in pathology of male and female genitalia]  
Minerva Ginecol 46: 377-83 (1994)
- Ngan HY; Stanley M; Liu SS; Ma HK  
HPV and p53 in cervical cancer.  
Genitourin Med 70: 167-70 (1994)
- Nindl I; Benitez-Bribiesca L; Berumen J; Farmanara N; Fisher S; Gross G; Lopez-Carillo L; Muller M; Tommasino M; Vazquez-Curiel A; et al  
Antibodies against linear and conformational epitopes of the human papillomavirus (HPV) type 16 E6 and E7 oncoproteins in sera of cervical cancer patients.  
Arch Virol 137: 341-53 (1994)
- Nishikawa T  
[Experimental study on carcinogenesis by human papillomavirus type 8 E7 gene]  
Hokkaido Igaku Zasshi 69: 563-73 (1994)
- Noel JC; Peny MO; Mat O; Antoine M; Firket C; Detremmerie O; Thiry L; Verhest A; Vereerstraeten P  
Human papillomavirus type 16 associated with multifocal transitional cell carcinomas of the bladder in two transplanted patients.  
Transpl Int 7: 340-3 (1994)
- Noel JC; Thiry L; Verhest A; Deschepper N; Peny MO; Sattar AA; Schulman CC; Haot J  
Transitional cell carcinoma of the bladder: evaluation of the role of human papillomaviruses.  
Urology 44: 671-5 (1994)
- O'Leary JJ; Browne G; Johnson MI; Landers RJ; Crowley M; Healy I; Street JT; Pollock AM; Lewis FA; Andrew A; et al  
PCR in situ hybridisation detection of HPV 16 in fixed CaSki and fixed SiHa cell lines.  
J Clin Pathol 47: 933-8 (1994)
- O'Leary JJ; Browne G; Landers RJ; Crowley M; Healy IB; Street JT; Pollock AM; Murphy J; Johnson MI; Lewis FA; et al  
The importance of fixation procedures on DNA template and its suitability for solution-phase polymerase chain reaction and PCR in situ hybridization.  
Histochem J 26: 337-46 (1994)
- Oberhammer FA; Hohegger K; Froschl G; Tiefenbacher R; Pavelka M  
Chromatin condensation during apoptosis is accompanied by degradation of lamin A+B, without enhanced activation of cdc2 kinase.  
J Cell Biol 126: 827-37 (1994)
- Ong CK; Bernard HU; Villa LL  
Identification of genomic sequences of three novel human papillomavirus sequences in cervical smears of Amazonian Indians.  
J Infect Dis 170: 1086-8 (1994)

## References (1994)

- Ono H; Takahashi A; Ogoshi S; Furihata M; Ohtsuki Y  
Relationship between H-ras p21 product and p53 protein or high-risk human papillomaviruses in esophageal cancer from Kochi, Japan [letter]  
*Am J Gastroenterol* 89: 646-7 (1994)
- Ostwald C; Muller P; Barten M; Rutsatz K; Sonnenburg M; Milde-Langosch K; Loning T  
Human papillomavirus DNA in oral squamous cell carcinomas and normal mucosa.  
*J Oral Pathol Med* 23: 220-5 (1994)
- Pan H; Griep AE  
Altered cell cycle regulation in the lens of HPV-16 E6 or E7 transgenic mice: implications for tumor suppressor gene function in development.  
*Genes Dev* 8: 1285-99 (1994)
- Pao CC; Kao SM; Chen JH; Tang GC; Chang PY; Tan TT  
State of mutational alterations of p53 and retinoblastoma susceptibility genes in papillomavirus-negative small cell cervical carcinomas.  
*J Surg Oncol* 57: 87-93 (1994)
- Pao CC; Kao SM; Tang GC; Lee K; Si J; Ruan S  
Prevalence of human papillomavirus DNA sequences in an area with very high incidence of cervical carcinoma.  
*Br J Cancer* 70: 694-6 (1994)
- Park DJ; Wilczynski SP; Paquette RL; Miller CW; Koeffler HP  
p53 mutations in HPV-negative cervical carcinoma.  
*Oncogene* 9: 205-10 (1994)
- Park JS; Chee YH; Namkoong SE; Han SK; Kim TE; Lee HY; Kim SJ  
Human papillomavirus detection in cervical carcinoma tissues and paraaortic lymph nodes by the polymerase chain reaction.  
*Gynecol Oncol* 53: 344-51 (1994)
- Patrick DR; Oliff A; Heimbrook DC  
Identification of a novel retinoblastoma gene product binding site on human papillomavirus type 16 E7 protein.  
*J Biol Chem* 269: 6842-50 (1994)
- Peacock JW; Benchimol S  
Mutation of the endogenous p53 gene in cells transformed by HPV-16 E7 and EJ c-ras confers a growth advantage involving an autocrine mechanism.  
*EMBO J* 13: 1084-92 (1994)
- Pei XF; Qin NG; Meck JM; Schlegel R  
Keratinocytes immortalized by human papillomavirus-18 exhibit alterations dependent upon host genetic background and complexity of viral genes transfected.  
*Pathobiology* 62: 43-52 (1994)
- Pepinsky RB; Androphy EJ; Corina K; Brown R; Barsoum J  
Specific inhibition of a human papillomavirus E2 transactivator by intracellular delivery of its repressor.  
*DNA Cell Biol* 13: 1011-9 (1994)
- Petricoin E 3rd; David M; Fang H; Grimley P; Larner AC; Vande Pol S  
Human cancer cell lines express a negative transcriptional regulator of the interferon regulatory factor family of DNA binding proteins.  
*Mol Cell Biol* 14: 1477-86 (1994)
- Petti L; DiMaio D  
Specific interaction between the bovine papillomavirus E5 transforming protein and the beta receptor for platelet-derived growth factor in stably transformed and acutely transfected cells.  
*J Virol* 68: 3582-92 (1994)
- Peyton CL; Jansen AM; Wheeler CM; Stewart AC; Peto J; Xavier Bosch F; Munoz N; Teyssie AR; Torroella M; Wabinga HR; et al  
A novel human papillomavirus sequence from an international cervical cancer study.  
*J Infect Dis* 170: 1093-5 (1994)
- Peyton CL; Wheeler CM  
Identification of five novel human papillomavirus sequences in the New Mexico triethnic population.  
*J Infect Dis* 170: 1089-92 (1994)
- Pim D; Storey A; Thomas M; Massimi P; Banks L  
Mutational analysis of HPV-18 E6 identifies domains required for p53 degradation in vitro, abolition of p53 transactivation in vivo and immortalisation of primary BMK cells.  
*Oncogene* 9: 1869-76 (1994)
- Punchard NA; Jewers RJ; Sankey MD; Watson DJ; Kell B; Cason J; Best JM; Thompson RP  
Use of a viral and cellular oncogenes to immortalise endothelial cells.  
*Biochem Soc Trans* 22: 197S (1994)
- Pushko P; Sasagawa T; Cuzick J; Crawford L  
Sequence variation in the capsid protein genes of human papillomavirus type 16.  
*J Gen Virol* 75 ( Pt 4): 911-6 (1994)

- Rainey WH; Sawetawan C; Shay JW; Michael MD; Mathis JM; Kuttah W; Byrd W; Carr BR  
Transformation of human granulosa cells with the E6 and E7 regions of human papillomavirus.  
*J Clin Endocrinol Metab* 78: 705-10 (1994)
- Rajpert-De Meyts E; Hording U; Nielsen HW; Skakkebaek NE  
Human papillomavirus and Epstein-Barr virus in the etiology of testicular germ cell tumours.  
*APMIS* 102: 38-42 (1994)
- Ratiarson A  
An anti-oncogenic action of the polyomavirus large-T (LT) antigen in HeLa and SiHa tumor cells.  
*Cancer Lett* 78: 183-7 (1994)
- Reid SW; Smith KT; Jarrett WF  
Detection, cloning and characterisation of papillomaviral DNA present in sarcoid tumours of *Equus asinus*.  
*Vet Rec* 135: 430-2 (1994)
- Reznikoff CA; Belair C; Savelieva E; Zhai Y; Pfeifer K; Yeager T; Thompson KJ; DeVries S; Bindley C; Newton MA; et al  
Long-term genome stability and minimal genotypic and phenotypic alterations in HPV16 E7-, but not E6-, immortalized human uroepithelial cells.  
*Genes Dev* 8: 2227-40 (1994)
- Rhim JS; Webber MM; Bello D; Lee MS; Arnstein P; Chen LS; Jay G  
Stepwise immortalization and transformation of adult human prostate epithelial cells by a combination of HPV-18 and v-Ki-ras.  
*Proc Natl Acad Sci U S A* 91: 11874-8 (1994)
- Rho J; Roy-Burman A; Kim H; de Villiers EM; Matsukura T; Choe J  
Nucleotide sequence and phylogenetic classification of human papillomavirus type 59.  
*Virology* 203: 158-61 (1994)
- Roberts S; Ashmole I; Sheehan TM; Davies AH; Gallimore PH  
Human papillomavirus type 1 E4 protein is a zinc-binding protein.  
*Virology* 202: 865-74 (1994)
- Rose BR; Thompson CH; Jiang XM; Tattersall MH; Elliott PM; Dalrymple C; Cossart YE  
Detection of human papillomavirus type 16 E6/E7 transcripts in histologically cancer-free pelvic lymph nodes of patients with cervical carcinoma.  
*Gynecol Oncol* 52: 212-7 (1994)
- Rosl F; Lengert M; Albrecht J; Kleine K; Zawatzky R; Schraven B; zur Hausen H  
Differential regulation of the JE gene encoding the monocyte chemoattractant protein (MCP-1) in cervical carcinoma cells and derived hybrids.  
*J Virol* 68: 2142-50 (1994)
- Rossolini GM; Cresti S; Ingianni A; Cattani P; Riccio ML; Satta G  
Use of deoxyinosine-containing primers vs degenerate primers for polymerase chain reaction based on ambiguous sequence information.  
*Mol Cell Probes* 8: 91-8 (1994)
- Rubben A; Spelten B; Albrecht J; Grussendorf-Conen EI  
Demonstration of URR-duplication variants of human papillomavirus type 6 in paraffin-embedded tissue sections of one condyloma acuminatum and one Buschke-Loewenstein tumour.  
*J Pathol* 174: 7-12 (1994)
- Rusconi S; Agarossi A; Ravasi L; Tonta A; Conti M; Galli M  
Serum 2'-5'-oligoadenylate synthetase levels and clinical response to interferon-beta therapy in women with genital human papillomavirus infection.  
*J Infect Dis* 169: 1112-5 (1994)
- Ryan MJ; Johnson G; Kirk J; Fuerstenberg SM; Zager RA; Torok-Storb B  
HK-2: an immortalized proximal tubule epithelial cell line from normal adult human kidney.  
*Kidney Int* 45: 48-57 (1994)
- Sadovnikova E; Stauss HJ  
T cell epitopes in human papilloma virus proteins.  
*Behring Inst Mitt* 35: 87-93 (1994)
- Sadovnikova E; Zhu X; Collins SM; Zhou J; Vousden K; Crawford L; Beverley P; Stauss HJ  
Limitations of predictive motifs revealed by cytotoxic T lymphocyte epitope mapping of the human papilloma virus E7 protein.  
*Int Immunol* 6: 289-96 (1994)
- Sahli R; Spuhler S  
[Identification of genital papillomavirus using PCR]  
*Schweiz Rundsch Med Prax* 83: 619-23 (1994)
- Sanchez-Lanier M; Triplett C; Campion M  
Possible role for human papillomavirus 16 in squamous cell carcinoma of the finger.  
*J Med Virol* 44: 369-78 (1994)

## References (1994)

- Sanders CM; Maitland NJ  
Kinetic and equilibrium binding studies of the human papillomavirus type-16 transcription regulatory protein E2 interacting with core enhancer elements.  
*Nucleic Acids Res* 22: 4890-7 (1994)
- Sanguiolo F; De Santis L; Cavicchini A; Angeloni U; Romanini C; Novelli G; Dallapiccola B  
A new method for direct analysis of polymerase chain reaction-amplified human papillomavirus using DNA enzyme immunoassay.  
*Int J Clin Lab Res* 24: 223-6 (1994)
- Sapp M; Kraus U; Volpers C; Snijders PJ; Walboomers JM; Streeck RE  
Analysis of type-restricted and cross-reactive epitopes on virus-like particles of human papillomavirus type 33 and in infected tissues using monoclonal antibodies to the major capsid protein.  
*J Gen Virol* 75 ( Pt 12): 3375-83 (1994)
- Sasagawa T; Kondoh G; Inoue M; Yutsudo M; Hakura A  
Cervical/vaginal dysplasias of transgenic mice harbouring human papillomavirus type 16 E6-E7 genes.  
*J Gen Virol* 75 ( Pt 11): 3057-65 (1994)
- Sasaki H; Nomura S; Akiyama N; Takahashi A; Sugimura T; Oishi M; Terada M  
Highly efficient method for obtaining a subtracted genomic DNA library by the modified in-gel competitive reassociation method.  
*Cancer Res* 54: 5821-3 (1994)
- Scheffner M; Romanczuk H; Munger K; Huibregtse JM; Mietz JA; Howley PM  
Functions of human papillomavirus proteins.  
*Curr Top Microbiol Immunol* 186: 83-99 (1994)
- Scher HI  
High-risk human papillomavirus infections and overexpression of p53 protein as prognostic indicators in transitional cell carcinoma of the urinary bladder.  
*J Urol* 152: 568-9 (1994)
- Schmitt A; Harry JB; Rapp B; Wettstein FO; Iftner T  
Comparison of the properties of the E6 and E7 genes of low- and high-risk cutaneous papillomaviruses reveals strongly transforming and high Rb-binding activity for the E7 protein of the low-risk human papillomavirus type 1.  
*J Virol* 68: 7051-9 (1994)
- Schuller G; Holt SE; Hsu J; Wilson VG  
The bovine papillomavirus type 1 genome contains multiple loci of static DNA bending, but bends are absent from the functional origin of replication.  
*Virus Res* 31: 203-17 (1994)
- Scinicariello F; Dolan MJ; Nedelcu I; Tyring SK; Hilliard JK  
Occurrence of human papillomavirus and p53 gene mutations in Kaposi's sarcoma.  
*Virology* 203: 153-7 (1994)
- Seagon S; Durst M  
Genetic analysis of an in vitro model system for human papillomavirus type 16-associated tumorigenesis.  
*Cancer Res* 54: 5593-8 (1994)
- Searle PF; Thomas DP; Faulkner KB; Tinsley JM  
Stomach cancer in transgenic mice expressing human papillomavirus type 16 early region genes from a keratin promoter.  
*J Gen Virol* 75 ( Pt 5): 1125-37 (1994)
- Sebbelov AM; Svendsen C; Jensen H; Kjaer SK; Norrild B  
Prevalence of HPV in premalignant and malignant cervical lesions in Greenland and Denmark: PCR and in situ hybridization analysis on archival material.  
*Res Virol* 145: 83-92 (1994)
- Selvakumar R; Borenstein LA; Lin YL; Ahmed R; Wettstein FO  
T-cell response to cottontail rabbit papillomavirus structural proteins in infected rabbits.  
*J Virol* 68: 4043-8 (1994)
- Selvey LA; Dunn LA; Tindle RW; Park DS; Frazer IH  
Human papillomavirus (HPV) type 18 E7 protein is a short-lived steroid-inducible phosphoprotein in HPV-transformed cell lines.  
*J Gen Virol* 75 ( Pt 7): 1647-53 (1994)
- Sepp R; Szabo I; Uda H; Sakamoto H  
Rapid techniques for DNA extraction from routinely processed archival tissue for use in PCR.  
*J Clin Pathol* 47: 318-23 (1994)
- Shadan FF; Cowser LM; Villarreal LP  
n-Butyrate, a cell cycle blocker, inhibits the replication of polyomaviruses and papillomaviruses but not that of adenoviruses and herpesviruses.  
*J Virol* 68: 4785-96 (1994)



- Shamanin V; Delius H; de Villiers EM  
Development of a broad spectrum PCR assay for papillomaviruses and its application in screening lung cancer biopsies.  
*J Gen Virol* 75 ( Pt 5): 1149-56 (1994)
- Shamanin V; Glover M; Rausch C; Proby C; Leigh IM; zur Hausen H; de Villiers EM  
Specific types of human papillomavirus found in benign proliferations and carcinomas of the skin in immunosuppressed patients.  
*Cancer Res* 54: 4610-3 (1994)
- Shidara K; Suzuki T; Hara F; Nakajima T  
Lack of synergistic association between human papillomavirus and ras gene point mutation in laryngeal carcinomas.  
*Laryngoscope* 104: 1008-12 (1994)
- Shin KH; Min BM; Cherrick HM; Park NH  
Combined effects of human papillomavirus-18 and N-methyl-N'-nitro-N-nitrosoguanidine on the transformation of normal human oral keratinocytes.  
*Mol Carcinog* 9: 76-86 (1994)
- Shirasawa H; Jin MH; Shimizu K; Akutsu N; Shino Y; Simizu B  
Transcription-modulatory activity of full-length E6 and E6\*I proteins of human papillomavirus type 16.  
*Virology* 203: 36-42 (1994)
- Siadat-Pajouh M; Ayscue AH; Periasamy A; Herman B  
Introduction of a fast and sensitive fluorescent in situ hybridization method for single-copy detection of human papillomavirus (HPV) genome.  
*J Histochem Cytochem* 42: 1503-12 (1994)
- Slebos RJ; Lee MH; Plunkett BS; Kessis TD; Williams BO; Jacks T; Hedrick L; Kastan MB; Cho KR  
p53-dependent G1 arrest involves pRB-related proteins and is disrupted by the human papillomavirus 16 E7 oncoprotein.  
*Proc Natl Acad Sci U S A* 91: 5320-4 (1994)
- Smith-McCune KK; Weidner N  
Demonstration and characterization of the angiogenic properties of cervical dysplasia.  
*Cancer Res* 54: 800-4 (1994)
- Snijders PJ; Steenbergen RD; Top B; Scott SD; Meijer CJ; Walboomers JM  
Analysis of p53 status in tonsillar carcinomas associated with human papillomavirus.  
*J Gen Virol* 75 ( Pt 10): 2769-75 (1994)
- Snijders PJ; van den Brule AJ; Meijer CJ; Walboomers JM  
Papillomaviruses and cancer of the upper digestive and respiratory tracts.  
*Curr Top Microbiol Immunol* 186: 177-98 (1994)
- Sparkowski J; Anders J; Schlegel R  
Mutation of the bovine papillomavirus E5 oncoprotein at amino acid 17 generates both high- and low-transforming variants.  
*J Virol* 68: 6120-3 (1994)
- Stacey SN; Eklund C; Jordan D; Smith NK; Stern PL; Dillner J; Arrand JR  
Scanning the structure and antigenicity of HPV-16 E6 and E7 oncoproteins using anti-peptide antibodies.  
*Oncogene* 9: 635-45 (1994)
- Stanley MA  
Replication of human papillomaviruses in cell culture.  
*Antiviral Res* 24: 1-15 (1994)
- Stark LA; Arends MJ; McLaren KM; Benton EC; Shahidullah H; Hunter JA; Bird CC  
Prevalence of human papillomavirus DNA in cutaneous neoplasms from renal allograft recipients supports a possible viral role in tumour promotion.  
*Br J Cancer* 69: 222-9 (1994)
- Stark LA; Arends MJ; McLaren KM; Benton EC; Shahidullah H; Hunter JA; Bird CC  
Accumulation of p53 is associated with tumour progression in cutaneous lesions of renal allograft recipients.  
*Br J Cancer* 70: 662-7 (1994)
- Steinmann KE; Pei XF; Stoppler H; Schlegel R; Schlegel R  
Elevated expression and activity of mitotic regulatory proteins in human papillomavirus-immortalized keratinocytes.  
*Oncogene* 9: 387-94 (1994)
- Stewart AC; Burnett S  
Anomalous transforming behavior of a bovine papillomavirus type 1 mutant with an upstream promoter mutation.  
*J Virol* 68: 4669-72 (1994)
- Stewart AC; Jareborg N; Simonsson M; Alderborn A; Burnett S  
Segregation properties of bovine papillomaviral plasmid DNA.  
*J Mol Biol* 236: 480-90 (1994)
- Stoppler H; Stoppler MC; Schlegel R  
Transforming proteins of the papillomaviruses.  
*Intervirology* 37: 168-79 (1994)

## References (1994)

- Stubenrauch F; Pfister H  
Low-affinity E2-binding site mediates downmodulation of E2 transactivation of the human papillomavirus type 8 late promoter.  
*J Virol* 68: 6959-66 (1994)
- Sun Y; Shah KV; Muller M; Munoz N; Bosch XF; Viscidi RP  
Comparison of peptide enzyme-linked immunosorbent assay and radioimmunoprecipitation assay with in vitro translated proteins for detection of serum antibodies to human papillomavirus type 16 E6 and E7 proteins.  
*J Clin Microbiol* 32: 2216-20 (1994)
- Suzuki H; Sato N; Kodama T; Okano T; Isaka S; Shirasawa H; Simizu B; Shimazaki J  
Detection of human papillomavirus DNA and state of p53 gene in Japanese penile cancer.  
*Jpn J Clin Oncol* 24: 1-6 (1994)
- Suzuki T; Shidara K; Hara F; Nakajima T  
High frequency of p53 abnormality in laryngeal cancers of heavy smokers and its relation to human papillomavirus infection.  
*Jpn J Cancer Res* 85: 1087-93 (1994)
- Sverdrup F; Khan SA  
Replication of human papillomavirus (HPV) DNAs supported by the HPV type 18 E1 and E2 proteins.  
*J Virol* 68: 505-9 (1994)
- Swan DC; Vernon SD; Icenogle JP  
Cellular proteins involved in papillomavirus-induced transformation.  
*Arch Virol* 138: 105-15 (1994)
- Szabo I; Sepp R; Nakamoto K; Maeda M; Sakamoto H; Uda H  
Human papillomavirus not found in squamous and large cell lung carcinomas by polymerase chain reaction.  
*Cancer* 73: 2740-4 (1994)
- Tachezy R; Hamsikova E; Valvoda J; Van Ranst M; Betka J; Burk RD; Vonka V  
Antibody response to a synthetic peptide derived from the human papillomavirus type 6/11 L2 protein in recurrent respiratory papillomatosis: correlation between Southern blot hybridization, polymerase chain reaction, and serology.  
*J Med Virol* 42: 52-9 (1994)
- Tachezy R; Van Ranst MA; Cruz Y; Burk RD  
Analysis of short novel human papillomavirus sequences.  
*Biochem Biophys Res Commun* 204: 820-7 (1994)
- Tait DL; MacDonald PC; Casey ML  
Parathyroid hormone-related protein expression in gynecic squamous carcinoma cells.  
*Cancer* 73: 1515-21 (1994)
- Tan CH; Tachezy R; Van Ranst M; Chan SY; Bernard HU; Burk RD  
The *Mastomys natalensis* papillomavirus: nucleotide sequence, genome organization, and phylogenetic relationship of a rodent papillomavirus involved in tumorigenesis of cutaneous epithelia.  
*Virology* 198: 534-41 (1994)
- Tan TM; Gloss B; Bernard HU; Ting RC  
Mechanism of translation of the bicistronic mRNA encoding human papillomavirus type 16 E6-E7 genes.  
*J Gen Virol* 75 ( Pt 10): 2663-70 (1994)
- Tarpey I; Stacey S; Hickling J; Birley HD; Renton A; McIndoe A; Davies DH  
Human cytotoxic T lymphocytes stimulated by endogenously processed human papillomavirus type 11 E7 recognize a peptide containing a HLA-A2 (A\*0201) motif.  
*Immunology* 81: 222-7 (1994)
- Tartour E; Gey A; Sastre-Garau X; Pannetier C; Mosseri V; Kourilsky P; Fridman WH  
Analysis of interleukin 6 gene expression in cervical neoplasia using a quantitative polymerase chain reaction assay: evidence for enhanced interleukin 6 gene expression in invasive carcinoma.  
*Cancer Res* 54: 6243-8 (1994)
- Tate JE; Mutter GL; Prasad CJ; Berkowitz R; Goodman H; Crum CP  
Analysis of HPV-positive and -negative vulvar carcinomas for alterations in c-myc, Ha-, Ki-, and N-ras genes.  
*Gynecol Oncol* 53: 78-83 (1994)
- Taylor EW; Ramanathan CS; Jalluri RK; Nadimpalli RG  
A basis for new approaches to the chemotherapy of AIDS: novel genes in HIV-1 potentially encode selenoproteins expressed by ribosomal frameshifting and termination suppression.  
*J Med Chem* 37: 2637-54 (1994)
- Teifke JP  
[Morphologic and molecular biologic studies of the etiology of equine sarcoid]  
*Tierarztl Prax* 22: 368-76 (1994)

- Tervahauta AI; Syrjanen SM; Mantyjarvi R; Syrjanen KJ  
Detection of p53 protein and Ki-67 proliferation antigen in human papillomavirus (HPV)-positive and HPV-negative cervical lesions by immunohistochemical double-staining. *Cytopathology* 5: 282-93 (1994)
- Thomas S; Brennan J; Martel G; Frazer I; Montesano R; Sidransky D; Hollstein M  
Mutations in the conserved regions of p53 are infrequent in betel-associated oral cancers from Papua New Guinea. *Cancer Res* 54: 3588-93 (1994)
- Thompson CH; Rose BR; Elliott PM  
Cytomegalovirus and cervical cancer: failure to detect a direct association or an interaction with human papillomaviruses. *Gynecol Oncol* 54: 40-6 (1994)
- Tieben LM; Berkhout RJ; Smits HL; Bouwes Bavinck JN; Vermeer BJ; Bruijn JA; Van der Woude FJ; Ter Schegget J  
Detection of epidermodysplasia verruciformis-like human papillomavirus types in malignant and premalignant skin lesions of renal transplant recipients. *Br J Dermatol* 131: 226-30 (1994)
- Tindle RW; Herd K; Londono P; Fernando GJ; Chatfield SN; Malcolm K; Dougan G  
Chimeric hepatitis B core antigen particles containing B- and Th-epitopes of human papillomavirus type 16 E7 protein induce specific antibody and T-helper responses in immunised mice. *Virology* 200: 547-57 (1994)
- Togawa K; Jaskiewicz K; Takahashi H; Meltzer SJ; Rustgi AK  
Human papillomavirus DNA sequences in esophagus squamous cell carcinoma. *Gastroenterology* 107: 128-36 (1994)
- Tsao YP; Chu TY; Chen TM; Yang YF; Chen SL  
Effects of E5a and E7 genes of human papillomavirus type 11 on immortalized human epidermal keratinocytes and NIH 3T3 cells. *Arch Virol* 138: 177-85 (1994)
- Tu H; Jacobs SC; Mergner WJ; Kyprianou N  
Rare incidence of human papillomavirus types 16 and 18 in primary and metastatic human prostate cancer. *Urology* 44: 726-31 (1994)
- Turek LP  
The structure, function, and regulation of papillomaviral genes in infection and cervical cancer. *Adv Virus Res* 44: 305-56 (1994)
- Ullman CG; Haris PI; Kell B; Cason J; Jewers RJ; Best JM; Emery VC; Perkins SJ  
Hypothetical structure of the membrane-associated E5 oncoprotein of human papillomavirus type 16. *Biochem Soc Trans* 22: 439S (1994)
- VanDevanter DR; Choongkittaworn NM; Dyer KA; Aten J; Otto P; Behler C; Bryant EM; Rabinovitch PS  
Pure chromosome-specific PCR libraries from single sorted chromosomes. *Proc Natl Acad Sci U S A* 91: 5858-62 (1994)
- Vecchione A; Cermele C; Giovagnoli MR; Valli C; Alimandi M; Carico E; Esposito DL; Mariani-Costantini R; French D  
p53 expression and genetic evidence for viral infection in intraepithelial neoplasia of the uterine cervix. *Gynecol Oncol* 55: 343-8 (1994)
- Verma M; Sanadi AR; Davidson EA  
Mucin synthesis in immortalized canine tracheal epithelial cells. *Glycobiology* 4: 825-36 (1994)
- Viallet J; Liu C; Emond J; Tsao MS  
Characterization of human bronchial epithelial cells immortalized by the E6 and E7 genes of human papillomavirus type 16. *Exp Cell Res* 212: 36-41 (1994)
- Volpers C; Schirmacher P; Streeck RE; Sapp M  
Assembly of the major and the minor capsid protein of human papillomavirus type 33 into virus-like particles and tubular structures in insect cells. *Virology* 200: 504-12 (1994)
- Voog E; Ricksten A; Lowhagen GB; Ternesten A  
Demonstration of Epstein-Barr virus DNA in acetowhite lesions of the vulva. *Int J STD AIDS* 5: 25-8 (1994)
- Vousden KH  
Interactions between papillomavirus proteins and tumor suppressor gene products. *Adv Cancer Res* 64: 1-24 (1994)
- Waggoner SE; Anderson SM; Van Eyck S; Fuller J; Luce MC; Herbst AL  
Human papillomavirus detection and p53 expression in clear-cell adenocarcinoma of the vagina and cervix. *Obstet Gynecol* 84: 404-8 (1994)

## References (1994)

- Waggoner SE; Wang X  
Effect of nicotine on proliferation of normal, malignant, and human papillomavirus-transformed human cervical cells.  
*Gynecol Oncol* 55: 91-5 (1994)
- Wang ZF; Liu L; Tang H  
[Detection of human papillomavirus in cervical tissues using polymerase chain reaction]  
*Chung Hua Fu Chan Ko Tsa Chih* 29: 103-5, 125 (1994)
- Weijerman PC; Konig JJ; Wong ST; Niesters HG; Peehl DM  
Lipofection-mediated immortalization of human prostatic epithelial cells of normal and malignant origin using human papillomavirus type 18 DNA.  
*Cancer Res* 54: 5579-83 (1994)
- Weijerman PC; Romijn HC; Peehl DM  
Human papilloma virus type 18 DNA immortalized cell lines from the human prostate epithelium.  
*Prog Clin Biol Res* 386: 67-9 (1994)
- White AE; Livanos EM; Tlsty TD  
Differential disruption of genomic integrity and cell cycle regulation in normal human fibroblasts by the HPV oncoproteins.  
*Genes Dev* 8: 666-77 (1994)
- Williamson AL; Brink NS; Dehaeck CM; Ovens S; Soeters R; Rybicki EP  
Typing of human papillomaviruses in cervical carcinoma biopsies from Cape Town.  
*J Med Virol* 43: 231-7 (1994)
- Wu CH; Lee MF; Chang MC; Ho SC  
Detection of human papillomavirus types in cervical lesions of patients from Taiwan by the polymerase chain reaction.  
*Sex Transm Dis* 21: 309-14 (1994)
- Wu X; Xiao W; Brandsma JL  
Papilloma formation by cottontail rabbit papillomavirus requires E1 and E2 regulatory genes in addition to E6 and E7 transforming genes.  
*J Virol* 68: 6097-102 (1994)
- Yokoyama M; Tsutsumi K; Pater A; Pater MM  
Human papillomavirus 18-immortalized endocervical cells with in vitro cyokeratin expression characteristics of adenocarcinoma.  
*Obstet Gynecol* 83: 197-204 (1994)
- Yuge K; Chinami M; Shingu M  
Transformation assays of the cell mitotic and proliferation activities of purified oncogene products.  
*Kurume Med J* 41: 165-9 (1994)
- Yutsudo M; Tanigaki T; Kanda R; Sasagawa T; Inoue T; Jing P; Yong-II H; Hakura A  
Involvement of human papillomavirus type 20 in epidermodysplasia verruciformis skin carcinogenesis.  
*J Clin Microbiol* 32: 1076-8 (1994)
- Zeltner R; Borenstein LA; Wettstein FO; Iftner T  
Changes in RNA expression pattern during the malignant progression of cottontail rabbit papillomavirus-induced tumors in rabbits.  
*J Virol* 68: 3620-30 (1994)
- Zhang Q; Gutsch D; Kenney S  
Functional and physical interaction between p53 and BZLF1: implications for Epstein-Barr virus latency.  
*Mol Cell Biol* 14: 1929-38 (1994)
- Zhao FX; Liu SY; Si JY  
[Use of polymerase chain reaction with L1 consensus primer for detection of HPV16 and HPV18 in cervical cancer tissues]  
*Chung Hua Chung Liu Tsa Chih* 16: 102-5 (1994)
- Zhao J; Schmiege FI; Simmons DT; Molloy GR  
Mouse p53 represses the rat brain creatine kinase gene but activates the rat muscle creatine kinase gene.  
*Mol Cell Biol* 14: 8483-92 (1994)
- Zhou J; Sun XY; Louis K; Frazer IH  
Interaction of human papillomavirus (HPV) type 16 capsid proteins with HPV DNA requires an intact L2 N-terminal sequence.  
*J Virol* 68: 619-25 (1994)
- Zimonjic DB; Popescu ND; DiPaolo JA  
Chromosomal organization of viral integration sites in human papillomavirus-immortalized human keratinocyte cell lines.  
*Cancer Genet Cytogenet* 72: 39-43 (1994)
- Zitz JC; McLachlin CM; Tate JE; Mutter GL; Crum CP  
Restriction fragment length polymorphism analysis of isotype-labeled polymerase chain reaction-amplified human papillomavirus DNA combines sensitivity with built-in contaminant detection.  
*Mod Pathol* 7: 407-11 (1994)
- Zyzak LL; MacDonald LM; Batova A; Forand R; Creek KE; Pirisi L  
Increased levels and constitutive tyrosine phosphorylation of the epidermal growth factor receptor contribute to autonomous growth of human papillomavirus type 16 immortalized human keratinocytes.  
*Cell Growth Differ* 5: 537-47 (1994)

- de Roda Husman AM; Walboomers JM; Meijer CJ; Risse EK; Schipper ME; Helmerhorst TM; Bleker OP; Delius H; van den Brule AJ; Snijders PJ  
Analysis of cytomorphologically abnormal cervical scrapes for the presence of 27 mucosotropic human papillomavirus genotypes, using polymerase chain reaction.  
*Int J Cancer* 56: 802-6 (1994)
- ter Schegget J; van der Noordaa J  
Protein phosphatase 2A and the regulation of human papillomavirus gene activity.  
*Curr Top Microbiol Immunol* 186: 121-9 (1994)
- von Knebel Doeberitz M; Rittmuller C; Aengeneyndt F; Jansen-Durr P; Spitkovsky D  
Reversible repression of papillomavirus oncogene expression in cervical carcinoma cells: consequences for the phenotype and E6-p53 and E7-pRB interactions.  
*J Virol* 68: 2811-21 (1994)
- zur Hausen H  
Disrupted dichotomous intracellular control of human papillomavirus infection in cancer of the cervix.  
*Lancet* 343: 955-7 (1994)
- zur Hausen H  
Molecular pathogenesis of cancer of the cervix and its causation by specific human papillomavirus types.  
*Curr Top Microbiol Immunol* 186: 131-56 (1994)
- zur Hausen H; de Villiers EM  
Human papillomaviruses.  
*Annu Rev Microbiol* 48: 427-47 (1994)
- Hines JF; Ghim SJ; Christensen ND; Kreider JW; Barnes WA; Schlegel R; Jenson AB  
The expressed L1 proteins of HPV-1, HPV-6, and HPV-11 display type-specific epitopes with native conformation and reactivity with neutralizing and nonneutralizing antibodies.  
*Pathobiology* 62: 165-71 (1994)
- Verma M; Sanadi AR; Davidson EA  
Mucin synthesis in immortalized canine tracheal epithelial cells.  
*Glycobiology* 4: 825-36 (1994)
- Akasofu M; Oda Y  
Immunohistochemical detection of p53 in cervical epithelial lesions with or without infection of human papillomavirus types 16 and 18.  
*Virchows Arch* 425: 593-602 (1995)
- Akutsu N; Shirasawa H; Nakano K; Tanzawa H; Asano T; Kobayashi S; Isono K; Simizu B  
Rare association of human papillomavirus DNA with esophageal cancer in Japan.  
*J Infect Dis* 171: 425-8 (1995)
- Alvarez-Salas LM; Velazquez A; Lopez-Bayghen E; Woodworth CD; Garrido E; Gariglio P; DiPaolo JA  
Transcriptional repression in normal human keratinocytes by wild-type and mutant p53.  
*Cancer Lett* 91: 85-92 (1995)
- Alvarez-Salas LM; Velazquez A; Lopez-Bayghen E; Woodworth CD; Garrido E; Gariglio P; DiPaolo JA  
Transcriptional repression in normal human keratinocytes by wild-type and mutant p53.  
*Cancer Lett* 91: 85-92 (1995)
- Anand P; Foley P; Navsaria HA; Sinicropi D; Williams-Chestnut RE; Leigh IM  
Nerve growth factor levels in cultured human skin cells: effect of gestation and viral transformation.  
*Neurosci Lett* 184: 157-60 (1995)
- Andresson T; Sparkowski J; Goldstein DJ; Schlegel R  
Vacuolar H(+)-ATPase mutants transform cells and define a binding site for the papillomavirus E5 oncoprotein.  
*J Biol Chem* 270: 6830-7 (1995)
- Bauknecht T; Jundt F; Herr I; Oehler T; Delius H; Shi Y; Angel P; Zur Hausen H  
A switch region determines the cell type-specific positive or negative action of YY1 on the activity of the human papillomavirus type 18 promoter.  
*J Virol* 69: 1-12 (1995)

## References (1995)

- Berkhout RJ; Tieben LM; Smits HL; Bavinck JN; Vermeer BJ; ter Schegget J  
Nested PCR approach for detection and typing of epidermodysplasia verruciformis-associated human papillomavirus types in cutaneous cancers from renal transplant recipients.  
*J Clin Microbiol* 33: 690-5 (1995)
- Berkhout RJ; Tieben LM; Smits HL; Bavinck JN; Vermeer BJ; ter Schegget J  
Nested PCR approach for detection and typing of epidermodysplasia verruciformis-associated human papillomavirus types in cutaneous cancers from renal transplant recipients.  
*J Clin Microbiol* 33: 690-5 (1995)
- Bethwaite PB; Koreth J; Herrington CS; McGee JO  
Loss of heterozygosity occurs at the D11S29 locus on chromosome 11q23 in invasive cervical carcinoma.  
*Br J Cancer* 71: 814-8 (1995)
- Bonne-Andrea C; Santucci S; Clertant P  
Bovine papillomavirus E1 protein can, by itself, efficiently drive multiple rounds of DNA synthesis in vitro.  
*J Virol* 69: 3201-5 (1995)
- Bonne-Andrea C; Santucci S; Clertant P; Tillier F  
Bovine papillomavirus E1 protein binds specifically DNA polymerase alpha but not replication protein A.  
*J Virol* 69: 2341-50 (1995)
- Brune W; Durst M  
Epithelial differentiation fails to support replication of cloned human papillomavirus type 16 DNA in transfected keratinocytes.  
*J Invest Dermatol* 104: 277-81 (1995)
- Butz K; Shahabuddin L; Geisen C; Spitzkovsky D; Ullmann A; Hoppe-Seyler F  
Functional p53 protein in human papillomavirus-positive cancer cells.  
*Oncogene* 10: 927-36 (1995)
- Caballero OL; Villa LL; Simpson AJ  
Low stringency-PCR (LS-PCR) allows entirely internally standardized DNA quantitation.  
*Nucleic Acids Res* 23: 192-3 (1995)
- Canman CE; Gilmer TM; Coutts SB; Kastan MB  
Growth factor modulation of p53-mediated growth arrest versus apoptosis.  
*Genes Dev* 9: 600-11 (1995)
- Chan SY; Delius H; Halpern AL; Bernard HU  
Analysis of genomic sequences of 95 papillomavirus types: uniting typing, phylogeny, and taxonomy.  
*J Virol* 69: 3074-83 (1995)
- Chee YH; Namkoong SE; Kim DH; Kim SJ; Park JS  
Immunologic diagnosis and monitoring of cervical cancers using in vitro translated HPV proteins.  
*Gynecol Oncol* 57: 226-31 (1995)
- Chee YH; Namkoong SE; Kim DH; Kim SJ; Park JS  
Immunologic diagnosis and monitoring of cervical cancers using in vitro translated HPV proteins.  
*Gynecol Oncol* 57: 226-31 (1995)
- Chen CM; Choo KB; Cheng WT  
Frequent deletions and sequence aberrations at the transgene junctions of transgenic mice carrying the papillomavirus regulatory and the SV40 TAg gene sequences.  
*Transgenic Res* 4: 52-9 (1995)
- Cheng JY; Sheu LF; Lin JC; Meng CL  
Detection of human papillomavirus DNA in colorectal adenomas.  
*Arch Surg* 130: 73-6 (1995)
- Choo CK; Rorke EA; Eckert RL  
Retinoid regulation of cell differentiation in a series of human papillomavirus type 16-immortalized human cervical epithelial cell lines.  
*Carcinogenesis* 16: 375-81 (1995)
- Comerford SA; Maika SD; Laimins LA; Messing A; Elsasser HP; Hammer RE  
E6 and E7 expression from the HPV 18 LCR: development of genital hyperplasia and neoplasia in transgenic mice.  
*Oncogene* 10: 587-97 (1995)
- Cooper K; Taylor L; Govind S  
Human papillomavirus DNA in oesophageal carcinomas in South Africa.  
*J Pathol* 175: 273-7 (1995)
- Cooper K; Taylor L; Govind S  
Human papillomavirus DNA in oesophageal carcinomas in South Africa.  
*J Pathol* 175: 273-7 (1995)
- De Marco F; Giannoni F; Marcante ML  
Interferon-beta strong cytopathic effect on human papillomavirus type 16-immortalized HPK-IA cell line, unexpectedly not shared by interferon-alpha.  
*J Gen Virol* 76 ( Pt 2): 445-50 (1995)

- Delvenne P; al-Saleh W; Gilles C; Thiry A; Boniver J  
Inhibition of growth of normal and human papillomavirus-transformed keratinocytes in monolayer and organotypic cultures by interferon-gamma and tumor necrosis factor-alpha.  
*Am J Pathol* 146: 589-98 (1995)
- Dillner J; Wiklund F; Lenner P; Eklund C; Frederiksson-Shanazarian V; Schiller JT; Hibma M; Hallmans G; Sten-dahl U  
Antibodies against linear and conformational epitopes of human papillomavirus type 16 that independently associate with incident cervical cancer.  
*Int J Cancer* 60: 377-82 (1995)
- Drummond-Barbosa DA; Vaillancourt RR; Kazlauskas A; Di-Maio D  
Ligand-independent activation of the platelet-derived growth factor beta receptor: requirements for bovine papillomavirus E5-induced mitogenic signaling.  
*Mol Cell Biol* 15: 2570-81 (1995)
- Drummond-Barbosa DA; Vaillancourt RR; Kazlauskas A; Di-Maio D  
Ligand-independent activation of the platelet-derived growth factor beta receptor: requirements for bovine papillomavirus E5-induced mitogenic signaling.  
*Mol Cell Biol* 15: 2570-81 (1995)
- Duggan MA; Rowlands C; Kneafsey PD; Nation JG; Stuart GC  
Uterine atypical polypoid adenomyoma and ovarian endometrioid carcinoma: metastatic disease or dual primaries?  
*Int J Gynecol Pathol* 14: 81-6 (1995)
- Fan S; Smith ML; Rivet DJ 2nd; Duba D; Zhan Q; Kohn KW; Fornace AJ Jr; O'Connor PM  
Disruption of p53 function sensitizes breast cancer MCF-7 cells to cisplatin and pentoxifylline.  
*Cancer Res* 55: 1649-54 (1995)
- Fong KM; Schonrock J; Frazer IM; Zimmerman PV; Smith PJ  
Human papillomavirus not found in squamous and large cell lung carcinomas by polymerase chain reaction [letter]  
*Cancer* 75: 2400-1 (1995)
- Fontijn R; Hop C; Brinkman HJ; Slater R; Westerveld A; van Mourik JA; Pannekoek H  
Maintenance of vascular endothelial cell-specific properties after immortalization with an amphotrophic replication-deficient retrovirus containing human papilloma virus 16 E6/E7 DNA.  
*Exp Cell Res* 216: 199-207 (1995)
- Franch HA; Shay JW; Alpern RJ; Preisig PA  
Involvement of pRB family in TGF beta-dependent epithelial cell hypertrophy.  
*J Cell Biol* 129: 245-54 (1995)
- Fujii T; Matsushima Y; Yajima M; Sugimura T; Terada M  
Serum antibody against unfused recombinant E7 protein of human papillomavirus type 16 in cervical cancer patients.  
*Jpn J Cancer Res* 86: 28-34 (1995)
- Fujii T; Matsushima Y; Yajima M; Sugimura T; Terada M  
Serum antibody against unfused recombinant E7 protein of human papillomavirus type 16 in cervical cancer patients.  
*Jpn J Cancer Res* 86: 28-34 (1995)
- Garzetti GG; Ciavattini A; Goteri G; De Nictolis M; Menso S; Muzzioli M; Fabris N  
HPV DNA positivity and natural killer cell activity in the clinical outcome of mild cervical dysplasia: integration between virus and immune system.  
*Gynecol Obstet Invest* 39: 130-5 (1995)
- Garzetti GG; Ciavattini A; Goteri G; De Nictolis M; Menso S; Muzzioli M; Fabris N  
HPV DNA positivity and natural killer cell activity in the clinical outcome of mild cervical dysplasia: integration between virus and immune system.  
*Gynecol Obstet Invest* 39: 130-5 (1995)
- Giannoudis A; Ergazaki M; Segas J; Giotakis J; Adamopoulos G; Gorgoulis V; Spandidos DA  
Detection of Epstein-Barr virus and human papillomavirus in nasopharyngeal carcinoma by the polymerase chain reaction technique.  
*Cancer Lett* 89: 177-81 (1995)
- Grey HM; Ruppert J; Vitiello A; Sidney J; Kast WM; Kubo RT; Sette A  
Class I MHC-peptide interactions: structural requirements and functional implications.  
*Cancer Surv* 22: 37-49 (1995)
- Hecht JL; Kadish AS; Jiang G; Burk RD  
Genetic characterization of the human papillomavirus (HPV) 18 E2 gene in clinical specimens suggests the presence of a subtype with decreased oncogenic potential.  
*Int J Cancer* 60: 369-76 (1995)
- Heino P; Skyldberg B; Lehtinen M; Rantala I; Hagmar B; Kreider JW; Kirnbauer R; Dillner J  
Human papillomavirus type 16 capsids expose multiple type-restricted and type-common antigenic epitopes.  
*J Gen Virol* 76 ( Pt 5): 1141-53 (1995)

## References (1995)

- Heino P; Skyldberg B; Lehtinen M; Rantala I; Hagmar B; Kreider JW; Kirnbauer R; Dillner J  
Human papillomavirus type 16 capsids expose multiple type-restricted and type-common antigenic epitopes.  
*J Gen Virol* 76 ( Pt 5): 1141-53 (1995)
- Herrington CS  
Human papillomaviruses and cervical neoplasia. II. Interaction of HPV with other factors.  
*J Clin Pathol* 48: 1-6 (1995)
- Hibma MH; Raj K; Ely SJ; Stanley M; Crawford L  
The interaction between human papillomavirus type 16 E1 and E2 proteins is blocked by an antibody to the N-terminal region of E2.  
*Eur J Biochem* 229: 517-25 (1995)
- Hibma MH; Raj K; Ely SJ; Stanley M; Crawford L  
The interaction between human papillomavirus type 16 E1 and E2 proteins is blocked by an antibody to the N-terminal region of E2.  
*Eur J Biochem* 229: 517-25 (1995)
- Honig JF; Becker HJ; Brinck U; Korabiowska M  
Detection of human papillomavirus DNA sequences in leukocytes: a new approach to identify hematological markers of HPV infection in patients with oral SCC.  
*Bull Group Int Rech Sci Stomatol Odontol* 38: 25-31 (1995)
- Hsieh CY; Wu CC; Chen TM; Chen CA; Chen CL; Wang JF; Chang CF; Hsieh FJ  
Clinical significance of intratumoral blood flow in cervical carcinoma assessed by color Doppler ultrasound.  
*Cancer* 75: 2518-22 (1995)
- Hsieh CY; Wu CC; Chen TM; Chen CA; Chen CL; Wang JF; Chang CF; Hsieh FJ  
Clinical significance of intratumoral blood flow in cervical carcinoma assessed by color Doppler ultrasound.  
*Cancer* 75: 2518-22 (1995)
- Huibregtse JM; Scheffner M; Beaudenon S; Howley PM  
A family of proteins structurally and functionally related to the E6-AP ubiquitin-protein ligase.  
*Proc Natl Acad Sci U S A* 92: 2563-7 (1995)
- Hummel M; Lim HB; Laimins LA  
Human papillomavirus type 31b late gene expression is regulated through protein kinase C-mediated changes in RNA processing.  
*J Virol* 69: 3381-8 (1995)
- Hummel M; Lim HB; Laimins LA  
Human papillomavirus type 31b late gene expression is regulated through protein kinase C-mediated changes in RNA processing.  
*J Virol* 69: 3381-8 (1995)
- Iglesias M; Plowman GD; Woodworth CD  
Interleukin-6 and interleukin-6 soluble receptor regulate proliferation of normal, human papillomavirus-immortalized, and carcinoma-derived cervical cells in vitro.  
*Am J Pathol* 146: 944-52 (1995)
- Jeon S; Allen-Hoffmann BL; Lambert PF  
Integration of human papillomavirus type 16 into the human genome correlates with a selective growth advantage of cells.  
*J Virol* 69: 2989-97 (1995)
- Jeon S; Lambert PF  
Integration of human papillomavirus type 16 DNA into the human genome leads to increased stability of E6 and E7 mRNAs: implications for cervical carcinogenesis.  
*Proc Natl Acad Sci U S A* 92: 1654-8 (1995)
- Jesudasan RA; Rahman RA; Chandrashekarappa S; Evans GA; Srivatsan ES  
Deletion and translocation of chromosome 11q13 sequences in cervical carcinoma cell lines.  
*Am J Hum Genet* 56: 705-15 (1995)
- Kawana T  
[Human papilloma virus and cervical cancer]  
*Gan To Kagaku Ryoho* 22: 711-7 (1995)
- Kim CJ; Isono T; Tomoyoshi T; Seto A  
Variable-region sequences for T-cell receptor-gamma and -delta chains of rabbit killer cell lines against Shope carcinoma cells.  
*Cancer Lett* 89: 37-44 (1995)
- Kim CJ; Tomoyoshi T; Seto A  
Varied expression of major histocompatibility complex and oncogenes in Shope carcinoma cell lines derived from a single tumor.  
*J Cancer Res Clin Oncol* 121: 16-22 (1995)
- Kim JW; Cho YH; Lyu MS; Lee CG; Jung JK; Kim SJ; Namkoong SE  
Establishment and characterization of a cell line (CUMC-3) derived from a human squamous carcinoma of the uterine cervix.  
*Gynecol Oncol* 57: 47-60 (1995)



- Kinoshita I; Dosaka-Akita H; Shindoh M; Fujino M; Akie K; Kato M; Fujinaga K; Kawakami Y  
Human papillomavirus type 18 DNA and E6-E7 mRNA are detected in squamous cell carcinoma and adenocarcinoma of the lung.  
Br J Cancer 71: 344-9 (1995)
- Kondoh G; Hayasaka N; Li Q; Nishimune Y; Hakura A  
An in vivo model for receptor tyrosine kinase autocrine/paracrine activation: auto-stimulated KIT receptor acts as a tumor promoting factor in papillomavirus-induced tumorigenesis.  
Oncogene 10: 341-7 (1995)
- Ledent C; Marcotte A; Dumont JE; Vassart G; Parmentier M  
Differentiated carcinomas develop as a consequence of the thyroid specific expression of a thyroglobulin-human papillomavirus type 16 E7 transgene.  
Oncogene 10: 1789-97 (1995)
- Ledent C; Marcotte A; Dumont JE; Vassart G; Parmentier M  
Differentiated carcinomas develop as a consequence of the thyroid specific expression of a thyroglobulin-human papillomavirus type 16 E7 transgene.  
Oncogene 10: 1789-97 (1995)
- Lehtinen M; Hibma MH; Stellato G; Kuoppala T; Paavonen J  
Human T helper cell epitopes overlap B cell and putative cytotoxic T cell epitopes in the E2 protein of human papillomavirus type 16.  
Biochem Biophys Res Commun 209: 541-6 (1995)
- Lehtinen M; Hibma MH; Stellato G; Kuoppala T; Paavonen J  
Human T helper cell epitopes overlap B cell and putative cytotoxic T cell epitopes in the E2 protein of human papillomavirus type 16.  
Biochem Biophys Res Commun 209: 541-6 (1995)
- Li HX; Zhu WY; Xia MY  
Detection with the polymerase chain reaction of human papillomavirus DNA in condylomata acuminata treated with CO2 laser and microwave.  
Int J Dermatol 34: 209-11 (1995)
- Li HX; Zhu WY; Xia MY  
Detection with the polymerase chain reaction of human papillomavirus DNA in condylomata acuminata treated with CO2 laser and microwave.  
Int J Dermatol 34: 209-11 (1995)
- Lipford GB; Bauer S; Wagner H; Heeg K  
Peptide engineering allows cytotoxic T-cell vaccination against human papilloma virus tumour antigen, E6.  
Immunology 84: 298-303 (1995)
- Lipford GB; Bauer S; Wagner H; Heeg K  
Peptide engineering allows cytotoxic T-cell vaccination against human papilloma virus tumour antigen, E6.  
Immunology 84: 298-303 (1995)
- Liu Z; Ghai J; Ostrow RS; Faras AJ  
The expression levels of the human papillomavirus type 16 E7 correlate with its transforming potential.  
Virology 207: 260-70 (1995)
- Lungu O; Sun XW; Wright TC Jr; Ferenczy A; Richart RM; Silverstein S  
A polymerase chain reaction-enzyme-linked immunosorbent assay method for detecting human papillomavirus in cervical carcinomas and high-grade cervical cancer precursors.  
Obstet Gynecol 85: 337-42 (1995)
- Macdonald MR; Le KT; Freeman J; Hui MF; Cheung RK; Dosch HM  
A majority of inverted sinonasal papillomas carries Epstein-Barr virus genomes.  
Cancer 75: 2307-12 (1995)
- Mansur CP; Marcus B; Dalal S; Androphy EJ  
The domain of p53 required for binding HPV 16 E6 is separable from the degradation domain.  
Oncogene 10: 457-65 (1995)
- Marston NJ; Jenkins JR; Vousden KH  
Oligomerisation of full length p53 contributes to the interaction with mdm2 but not HPV E6.  
Oncogene 10: 1709-15 (1995)
- Marston NJ; Jenkins JR; Vousden KH  
Oligomerisation of full length p53 contributes to the interaction with mdm2 but not HPV E6.  
Oncogene 10: 1709-15 (1995)
- Matsukura T; Sugase M  
Identification of genital human papillomaviruses in cervical biopsy specimens: segregation of specific virus types in specific clinicopathologic lesions.  
Int J Cancer 61: 13-22 (1995)
- McGarvie GM; Grindlay GJ; Chandrachud LM; O'Neil BW; Jarrett WF; Campo MS  
T cell responses to BPV-4 E7 during infection and mapping of T cell epitopes.  
Virology 206: 504-10 (1995)
- McLachlin CM  
Pathology of human papillomavirus in the female genital tract.  
Curr Opin Obstet Gynecol 7: 24-9 (1995)

## References (1995)

- McLachlin CM  
Pathology of human papillomavirus in the female genital tract.  
*Curr Opin Obstet Gynecol* 7: 24-9 (1995)
- Meissner J  
Complete nucleotide sequencing of an HPV-1a variant and determination of extant errors in the prototype HPV-1a sequence.  
*Virus Genes* 9: 189-91 (1995)
- Meissner J  
Complete nucleotide sequencing of an HPV-1a variant and determination of extant errors in the prototype HPV-1a sequence.  
*Virus Genes* 9: 189-91 (1995)
- Mendoza R; Gandhi L; Botchan MR  
E1 recognition sequences in the bovine papillomavirus type 1 origin of DNA replication: interaction between half sites of the inverted repeats.  
*J Virol* 69: 3789-98 (1995)
- Mendoza R; Gandhi L; Botchan MR  
E1 recognition sequences in the bovine papillomavirus type 1 origin of DNA replication: interaction between half sites of the inverted repeats.  
*J Virol* 69: 3789-98 (1995)
- Miwa K; Miyamoto S; Kato H; Imamura T; Nishida M; Yoshikawa Y; Nagata Y; Wake N  
The role of p53 inactivation in human cervical cell carcinoma development.  
*Br J Cancer* 71: 219-26 (1995)
- Molinari M; Milner J  
p53 in complex with DNA is resistant to ubiquitin-dependent proteolysis in the presence of HPV-16 E6.  
*Oncogene* 10: 1849-54 (1995)
- Molinari M; Milner J  
p53 in complex with DNA is resistant to ubiquitin-dependent proteolysis in the presence of HPV-16 E6.  
*Oncogene* 10: 1849-54 (1995)
- Monk BJ; Burger RA; Lin F; Parham G; Vasilev SA; Wilczynski SP  
Prognostic significance of human papillomavirus DNA in vulvar carcinoma.  
*Obstet Gynecol* 85: 709-15 (1995)
- Muller M; Gissmann L; Cristiano RJ; Sun XY; Frazer IH; Jenson AB; Alonso A; Zentgraf H; Zhou J  
Papillomavirus capsid binding and uptake by cells from different tissues and species.  
*J Virol* 69: 948-54 (1995)
- Muller M; Viscidi RP; Ulken V; Bavinck JN; Hill PM; Fisher SG; Reid R; Munoz N; Schneider A; Shah KV; et al  
Antibodies to the E4, E6, and E7 proteins of human papillomavirus (HPV) type 16 in patients with HPV-associated diseases and in the normal population.  
*J Invest Dermatol* 104: 138-41 (1995)
- Noffsinger AE; Hui YZ; Suzuk L; Yochman LK; Miller MA; Hurtubise P; Gal AA; Fenoglio-Preiser CM  
The relationship of human papillomavirus to proliferation and ploidy in carcinoma of the anus.  
*Cancer* 75: 958-67 (1995)
- Nurnberg W; Artuc M; Vorbrueggen G; Kalkbrenner F; Moelling K; Czarnetzki BM; Schadendorf D  
Nuclear proto-oncogene products transactivate the human papillomavirus type 16 promoter.  
*Br J Cancer* 71: 1018-24 (1995)
- Nurnberg W; Artuc M; Vorbrueggen G; Kalkbrenner F; Moelling K; Czarnetzki BM; Schadendorf D  
Nuclear proto-oncogene products transactivate the human papillomavirus type 16 promoter.  
*Br J Cancer* 71: 1018-24 (1995)
- O'Connor M; Bernard HU  
Oct-1 activates the epithelial-specific enhancer of human papillomavirus type 16 via a synergistic interaction with NFI at a conserved composite regulatory element.  
*Virology* 207: 77-88 (1995)
- Orihuela E; Tyring SK; Pow-Sang M; Dozier S; Cirelli R; Arany I; Rady P; Sanchez R  
Development of human papillomavirus type 16 associated squamous cell carcinoma of the scrotum in a patient with Darier's disease treated with systemic isotretinoin.  
*J Urol* 153: 1940-3 (1995)
- Orihuela E; Tyring SK; Pow-Sang M; Dozier S; Cirelli R; Arany I; Rady P; Sanchez R  
Development of human papillomavirus type 16 associated squamous cell carcinoma of the scrotum in a patient with Darier's disease treated with systemic isotretinoin.  
*J Urol* 153: 1940-3 (1995)

- Ostrow RS; Coughlin SM; McGlennen RC; Johnson AN; Ratterree MS; Scheffler J; Yaegashi N; Galloway DA; Faras AJ  
Serological and molecular evidence of rhesus papillomavirus type 1 infections in tissues from geographically distinct institutions.  
*J Gen Virol* 76 ( Pt 2): 293-9 (1995)
- Peacock JW; Chung S; Bristow RG; Hill RP; Benchimol S  
The p53-mediated G1 checkpoint is retained in tumorigenic rat embryo fibroblast clones transformed by the human papillomavirus type 16 E7 gene and EJ-ras.  
*Mol Cell Biol* 15: 1446-54 (1995)
- Peng X; Lang CM; Kreider JW  
Methylation of cottontail rabbit papillomavirus DNA and tissue-specific expression in transgenic rabbits.  
*Virus Res* 35: 101-8 (1995)
- Peng X; Lang CM; Kreider JW  
Methylation of cottontail rabbit papillomavirus DNA and tissue-specific expression in transgenic rabbits.  
*Virus Res* 35: 101-8 (1995)
- Podust VN; Podust LM; Muller F; Hubscher U  
DNA polymerase delta holoenzyme: action on single-stranded DNA and on double-stranded DNA in the presence of replicative DNA helicases.  
*Biochemistry* 34: 5003-10 (1995)
- Radulescu RT; Bellitti MR; Ruvo M; Cassani G; Fassina G  
Binding of the LXCXE insulin motif to a hexapeptide derived from retinoblastoma protein.  
*Biochem Biophys Res Commun* 206: 97-102 (1995)
- Ramael M; Segers K; Pannemans N; Wesling F; Van Marck E  
Detection of human papillomavirus in cervical scrapings by in situ hybridization and the polymerase chain reaction in relation to cytology.  
*Histochem J* 27: 54-9 (1995)
- Ressing ME; Sette A; Brandt RM; Ruppert J; Wentworth PA; Hartman M; Oseroff C; Grey HM; Melief CJ; Kast WM  
Human CTL epitopes encoded by human papillomavirus type 16 E6 and E7 identified through in vivo and in vitro immunogenicity studies of HLA-A\*0201-binding peptides.  
*J Immunol* 154: 5934-43 (1995)
- Ressing ME; Sette A; Brandt RM; Ruppert J; Wentworth PA; Hartman M; Oseroff C; Grey HM; Melief CJ; Kast WM  
Human CTL epitopes encoded by human papillomavirus type 16 E6 and E7 identified through in vivo and in vitro immunogenicity studies of HLA-A\*0201-binding peptides.  
*J Immunol* 154: 5934-43 (1995)
- Riese DJ 2nd; DiMaio D  
An intact PDGF signaling pathway is required for efficient growth transformation of mouse C127 cells by the bovine papillomavirus E5 protein.  
*Oncogene* 10: 1431-9 (1995)
- Riese DJ 2nd; DiMaio D  
An intact PDGF signaling pathway is required for efficient growth transformation of mouse C127 cells by the bovine papillomavirus E5 protein.  
*Oncogene* 10: 1431-9 (1995)
- Roecklein BA; Torok-Storb B  
Functionally distinct human marrow stromal cell lines immortalized by transduction with the human papilloma virus E6/E7 genes.  
*Blood* 85: 997-1005 (1995)
- Rolfe M; Beer-Romero P; Glass S; Eckstein J; Berdo I; Theodoras A; Pagano M; Draetta G  
Reconstitution of p53-ubiquitinylation reactions from purified components: the role of human ubiquitin-conjugating enzyme UBC4 and E6-associated protein (E6AP).  
*Proc Natl Acad Sci U S A* 92: 3264-8 (1995)
- Roman A; Brown D  
Sequence variation in the extreme 5' end of the human papillomavirus type 6a long control region.  
*J Infect Dis* 171: 697-700 (1995)
- Rorke EA; Jacobberger JW  
Transforming growth factor-beta 1 (TGF beta 1) enhances apoptosis in human papillomavirus type 16-immortalized human ectocervical epithelial cells.  
*Exp Cell Res* 216: 65-72 (1995)
- Rose BR; Thompson CH; Tattersall MH; Elliott PM; Dalrymple C; Cossart YE  
Identification of E6/E7 transcription patterns in HPV 16-positive cervical cancers using the reverse transcription/polymerase chain reaction.  
*Gynecol Oncol* 56: 239-44 (1995)
- Russell J; Botchan MR  
cis-Acting components of human papillomavirus (HPV) DNA replication: linker substitution analysis of the HPV type 11 origin.  
*J Virol* 69: 651-60 (1995)
- Russell KJ; Wiens LW; Demers GW; Galloway DA; Plon SE; Groudine M  
Abrogation of the G2 checkpoint results in differential radiosensitization of G1 checkpoint-deficient and G1 checkpoint-competent cells.  
*Cancer Res* 55: 1639-42 (1995)

## References (1995)

- Samoylova EV; Shaikhaiev GO; Petrov SV; Kisseljova NP; Kisseljov FL  
HPV infection in cervical-cancer cases in Russia.  
*Int J Cancer* 61: 337-41 (1995)
- Samoylova EV; Shaikhaiev GO; Petrov SV; Kisseljova NP; Kisseljov FL  
HPV infection in cervical-cancer cases in Russia.  
*Int J Cancer* 61: 337-41 (1995)
- Sasagawa T; Pushko P; Steers G; Gschmeissner SE; Hajibagheri MA; Finch J; Crawford L; Tommasino M  
Synthesis and assembly of virus-like particles of human papillomaviruses type 6 and type 16 in fission yeast *Schizosaccharomyces pombe*.  
*Virology* 206: 126-35 (1995)
- Scheffner M; Nuber U; Huibregtse JM  
Protein ubiquitination involving an E1-E2-E3 enzyme ubiquitin thioester cascade.  
*Nature* 373: 81-3 (1995)
- Shay JW; Tomlinson G; Piatyszek MA; Gollahon LS  
Spontaneous in vitro immortalization of breast epithelial cells from a patient with Li-Fraumeni syndrome.  
*Mol Cell Biol* 15: 425-32 (1995)
- Simons AM; Mugica van Herckenrode C; Rodriguez JA; Maitland N; Anderson M; Phillips DH; Coleman DV  
Demonstration of smoking-related DNA damage in cervical epithelium and correlation with human papillomavirus type 16, using exfoliated cervical cells.  
*Br J Cancer* 71: 246-9 (1995)
- Smith ML; Chen IT; Zhan Q; O'Connor PM; Fornace AJ Jr  
Involvement of the p53 tumor suppressor in repair of u.v.-type DNA damage.  
*Oncogene* 10: 1053-9 (1995)
- Steger G; Ham J; Lefebvre O; Yaniv M  
The bovine papillomavirus 1 E2 protein contains two activation domains: one that interacts with TBP and another that functions after TBP binding.  
*EMBO J* 14: 329-40 (1995)
- Steinbach E  
[Pathogenesis of cholesteatoma (comment)]  
*HNO* 43: 1-2 (1995)
- Straight SW; Herman B; McCance DJ  
The E5 oncoprotein of human papillomavirus type 16 inhibits the acidification of endosomes in human keratinocytes.  
*J Virol* 69: 3185-92 (1995)
- Stremlau A; Helms J; Muller-Hermelink HK; Hoppe F; de Villiers EM  
[Detection of DNA of human papillomaviruses (HPV) in an "aggressively" growing cholesteatoma. Is cholesteatoma a virus-induced tumor? (see comments)]  
*HNO* 43: 3-5 (1995)
- Sugimachi K; Sumiyoshi K; Nozoe T; Yasuda M; Watanabe M; Kitamura K; Tsutsui S; Mori M; Kuwano H  
Carcinogenesis and histogenesis of esophageal carcinoma.  
*Cancer* 75: 1440-5 (1995)
- Sun XW; Ellerbrock TV; Lungu O; Chiasson MA; Bush TJ; Wright TC Jr  
Human papillomavirus infection in human immunodeficiency virus-seropositive women.  
*Obstet Gynecol* 85: 680-6 (1995)
- Sverdrup F; Khan SA  
Two E2 binding sites alone are sufficient to function as the minimal origin of replication of human papillomavirus type 18 DNA.  
*J Virol* 69: 1319-23 (1995)
- Tan W; Schwartz S  
The Rev protein of human immunodeficiency virus type 1 counteracts the effect of an AU-rich negative element in the human papillomavirus type 1 late 3' untranslated region.  
*J Virol* 69: 2932-45 (1995)
- Thomas M; Massimi P; Jenkins J; Banks L  
HPV-18 E6 mediated inhibition of p53 DNA binding activity is independent of E6 induced degradation.  
*Oncogene* 10: 261-8 (1995)
- Vande Pol SB; Howley PM  
Negative regulation of the bovine papillomavirus E5, E6, and E7 oncogenes by the viral E1 and E2 genes.  
*J Virol* 69: 395-402 (1995)
- Wazer DE; Liu XL; Chu Q; Gao Q; Band V  
Immortalization of distinct human mammary epithelial cell types by human papilloma virus 16 E6 or E7.  
*Proc Natl Acad Sci U S A* 92: 3687-91 (1995)
- Wazer DE; Liu XL; Chu Q; Gao Q; Band V  
Immortalization of distinct human mammary epithelial cell types by human papilloma virus 16 E6 or E7.  
*Proc Natl Acad Sci U S A* 92: 3687-91 (1995)
- Williams AT; Sexton CJ; Hanna NF; Leigh IM  
Upregulation of integrin expression in benign vulvar warts.  
*J Pathol* 175: 311-7 (1995)

- Williams AT; Sexton CJ; Hanna NF; Leigh IM  
Upregulation of integrin expression in benign vulvar warts.  
*J Pathol* 175: 311-7 (1995)
- Wilson SE; Weng J; Blair S; He YG; Lloyd S  
Expression of E6/E7 or SV40 large T antigen-coding oncogenes in human corneal endothelial cells indicates regulated high-proliferative capacity.  
*Invest Ophthalmol Vis Sci* 36: 32-40 (1995)
- Woodworth CD; McMullin E; Iglesias M; Plowman GD  
Interleukin 1 alpha and tumor necrosis factor alpha stimulate autocrine amphiregulin expression and proliferation of human papillomavirus-immortalized and carcinoma-derived cervical epithelial cells.  
*Proc Natl Acad Sci U S A* 92: 2840-4 (1995)
- Yadav M; Nurhayati ZA; Padmanathan A; Abdul Aziz Y; Norhanom AW  
Polymerase chain reaction detection and restriction enzyme typing of human papillomavirus in cervical carcinoma.  
*Med J Malaysia* 50: 64-71 (1995)
- Yadav M; Nurhayati ZA; Padmanathan A; Abdul Aziz Y; Norhanom AW  
Polymerase chain reaction detection and restriction enzyme typing of human papillomavirus in cervical carcinoma.  
*Med J Malaysia* 50: 64-71 (1995)
- Zhang J; Rose BR; Thompson CH; Jarrett C; Russell P; Houghton RS; Cossart YE  
Associations between oncogenic human papillomaviruses and local invasive patterns in cervical cancer.  
*Gynecol Oncol* 57: 170-7 (1995)
- Zhang J; Rose BR; Thompson CH; Jarrett C; Russell P; Houghton RS; Cossart YE  
Associations between oncogenic human papillomaviruses and local invasive patterns in cervical cancer.  
*Gynecol Oncol* 57: 170-7 (1995)
- Zheng J; Saksela O; Matikainen S; Vaheri A  
Keratinocyte growth factor is a bifunctional regulator of HPV16 DNA-immortalized cervical epithelial cells.  
*J Cell Biol* 129: 843-51 (1995)
- Zheng J; Saksela O; Matikainen S; Vaheri A  
Keratinocyte growth factor is a bifunctional regulator of HPV16 DNA-immortalized cervical epithelial cells.  
*J Cell Biol* 129: 843-51 (1995)